

## 26. 鋼管・継手類





鋼管

単位:円/本

口径	管長(m)	水配管用亜鉛メッキ鋼管		亜鉛メッキ鋼管	
		ネジ付	ネジ無し	ネジ付	ネジ無し
15A	4.0	9,620	8,630	9,350	8,270
20A	4.0	11,830	10,590	11,360	10,140
25A	4.0	16,490	14,690	16,040	14,230
32A	4.0	21,880	19,380	21,270	18,800
40A	4.0	25,110	22,250	24,360	21,570
50A	4.0	34,480	30,260	33,390	29,420
65A	4.0	49,230	42,620	47,760	41,300
80A	4.0	58,970	50,170	57,170	48,620
100A	4.0	84,720	69,520	82,310	67,360
125A	5.5	153,840	121,270	149,890	111,730
150A	5.5	203,810	165,270	198,530	160,570
200A	5.5	-	251,630	-	244,450
250A	5.5	-	別途御見積	-	別途御見積
300A	5.5	-	別途御見積	-	別途御見積





口径	管長(m)	VLP-VB	キーロンVD	キーロンVF(SGP-VS)	
				ネジ付	ネジ無し
15A	4.0	12,500	14,070	-	-
20A	4.0	13,870	16,020	-	14,960
25A	4.0	19,300	20,200	-	18,490
32A	4.0	25,740	26,190	-	23,530
40A	4.0	29,650	29,380	-	26,960
50A	4.0	40,300	39,830	36,550	32,560
65A	4.0	56,750	56,010	50,110	44,020
80A	4.0	66,740	65,530	58,090	50,530
100A	4.0	92,720	94,460	83,860	72,580
125A	4.0	113,880	127,760	-	94,580
150A	4.0	152,550	171,200	-	128,640
200A	5.5	-	-	-	オープン価格

鋼管継手類

口径	チーズ			90°エルボ			45°エルボ			ソケット		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304
15A	500	690	1,630	270	410	1,200	780	1,030	1,920	410	600	570
20A	600	790	2,340	380	530	1,710	830	1,110	2,890	490	690	820
25A	960	1,270	3,330	660	830	2,400	1,120	1,630	3,950	680	860	1,150
32A	1,640	2,140	5,100	1,180	1,530	3,800	1,730	2,470	5,230	960	1,380	1,600
40A	2,020	2,640	5,900	1,410	1,840	4,440	2,290	3,260	6,620	1,210	1,550	1,920
50A	3,130	4,180	9,000	2,070	2,790	6,610	3,410	4,550	9,560	1,830	2,370	2,900
65A	6,860	9,170	16,100	4,430	6,030	15,300	6,850	9,780	16,800	3,680	5,000	5,300
80A	9,990	13,700	21,200	6,550	9,470	22,000	9,830	13,000	20,700	5,470	6,560	6,920
100A	16,820	21,770	42,800	10,960	14,460	41,000	16,820	21,730	37,200	9,120	11,680	12,000
125A	49,960	52,590	-	35,290	36,980	-	52,750	52,930	-	19,500	22,540	-
150A	75,770	81,540	-	48,780	53,920	-	80,010	79,030	-	26,800	30,970	-

口径	六角ニップル			ユニオン			プラグ			キャップ		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304	白	コート	SCS13A
15A	350	710	970	1,490	2,290	3,320	350	1,020	770	660	1,500	880
20A	410	740	1,520	1,810	2,820	4,330	440	1,050	1,050	750	1,740	1,120
25A	590	920	2,080	2,440	3,590	5,720	520	1,170	1,460	940	2,200	1,460
32A	870	1,400	2,790	3,500	4,650	7,350	790	1,640	1,810	1,350	2,950	1,960
40A	1,140	1,650	3,780	4,650	6,210	9,270	960	2,140	2,120	1,560	3,680	2,320
50A	1,650	2,370	5,410	6,900	8,450	13,000	1,400	2,810	3,140	2,090	5,060	3,370
65A	3,290	4,710	9,980	15,050	20,410	23,100	2,410	5,060	7,100	3,520	7,350	7,000
80A	5,130	7,350	14,800	19,200	27,250	33,800	3,680	6,900	8,820	4,930	9,340	9,300
100A	8,720	12,390	22,500	37,760	50,190	58,200	6,700	11,480	15,300	10,670	18,660	17,000
125A	23,420	26,140	-	88,340	97,230	-	20,340	25,530	-	24,250	34,090	-
150A	36,270	39,580	-	135,610	149,770	-	27,980	33,960	-	33,750	43,590	-

口径	クロス			サービステーズ			ストリートエルボ			組フランジ		
												
	白	コート	SCS13A	白			白	コート	SCS13A	白	コート	
15A	2,090	3,850	3,880	1,960	-	-	670	1,760	2,270	4,090	5,000	-
20A	2,160	4,130	5,460	1,970	-	-	730	1,880	2,890	4,370	5,230	-
25A	3,410	6,430	8,380	2,020	-	-	1,180	2,560	3,890	4,650	6,280	-
32A	5,320	9,340	12,100	3,260	-	-	1,830	3,680	5,720	6,850	9,020	-
40A	6,850	12,850	13,100	3,830	-	-	2,430	4,580	7,300	7,360	9,340	-
50A	7,780	14,510	19,200	5,670	-	-	3,520	6,130	10,600	8,620	11,040	-
65A	17,230	30,580	-	14,290	-	-	7,610	13,780	-	15,710	21,420	-
80A	23,740	43,590	-	14,980	-	-	11,930	21,420	-	17,480	23,410	-
100A	35,620	66,650	-	-	-	-	22,380	-	-	25,500	34,710	-
125A	92,060	130,840	-	-	-	-	-	-	-	54,120	55,500	-
150A	-	-	-	-	-	-	-	-	-	63,380	73,090	-

口径	径違いチーズ			径違い90°エルボ			径違いソケット			ブッシング		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A
20X15	830	1,140	3,100	580	920	2,500	740	950	2,160	610	1,210	1,130
25X20.15	1,140	1,520	4,640	1,020	1,400	3,460	870	1,210	3,400	830	1,500	1,800
32X25.20	2,240	2,670	6,900	1,960	2,510	4,980	1,320	1,740	5,260	1,440	2,180	2,500
32X15	2,920	3,240	6,900	2,570	2,860	4,980	1,660	1,970	5,260	1,860	2,510	2,500
40X32.25	2,850	3,680	7,900	2,350	3,240	6,340	1,710	2,250	7,200	1,730	2,710	3,220
40X20.15	3,770	4,130	7,900	3,020	3,850	6,340	2,210	2,580	7,200	2,240	3,240	3,220
50X40.32	4,440	5,500	12,200	3,830	5,060	8,930	2,410	3,020	10,700	2,390	3,850	4,700
50X25~15	5,920	6,280	12,200	4,940	5,960	8,930	3,020	3,390	10,700	3,060	4,460	4,700
65X50.40	10,080	13,780	-	9,990	13,460	-	4,520	6,570	-	4,110	6,740	9,060
65X32~15	13,340	14,840	-	13,290	15,930	-	6,010	7,680	-	4,940	7,680	9,060
80X65.50	13,930	17,590	-	13,520	17,280	-	6,990	9,020	-	5,610	9,640	12,500
80X40~15	18,730	20,050	-	17,760	19,570	-	8,970	10,380	-	7,440	11,040	12,500
100X80.65	23,880	29,360	-	23,610	28,470	-	11,600	15,140	-	10,800	15,930	24,800
100X50~15	31,320	33,640	-	30,700	33,060	-	14,690	17,450	-	13,890	17,450	24,800
125X100.80	71,930	70,320	-	65,450	70,320	-	26,470	29,360	-	24,250	28,730	-
125X65~15	84,570	81,160	-	76,800	-	-	30,540	34,090	-	27,980	33,030	-
150X125.100	108,400	105,490	-	98,840	113,790	-	36,270	41,140	-	33,750	41,600	-
150X80~15	125,640	121,390	-	114,110	130,240	-	42,050	47,380	-	38,500	47,860	-

リケン LAカップリング



(株)リケン

口径	ソケット		特寸ソケット		離脱付ソケット		離脱付ソケット		エルボ		離脱付エルボ	
	LA S		LA SSS		HI-LA S		HI-LA SSS		LA L		HI-LA L	
	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート
15A	1,200	1,670	1,670	1,930	2,190	2,470	2,530	2,760	1,860	2,030	2,800	2,940
20A	1,570	2,180	2,260	2,600	2,710	3,140	3,250	3,500	2,170	2,450	3,260	3,650
25A	2,160	2,950	3,080	3,900	3,570	4,170	4,370	4,660	3,250	3,700	4,620	5,000
32A	2,680	3,660	3,770	4,370	4,520	5,160	5,190	5,730	4,110	4,660	5,640	6,130
40A	3,250	4,460	4,870	5,730	5,050	6,130	6,590	7,360	5,230	6,000	6,990	7,720
50A	4,460	6,130	6,150	6,590	6,850	8,200	8,190	9,190	7,820	9,070	9,950	11,090
65A	10,100	11,070	-	-	14,530	16,900	-	-	13,790	16,360	19,270	22,530
80A	13,370	14,240	-	-	18,090	21,490	-	-	18,680	22,220	25,040	30,090

## PQWK継手（露出配管用コア内蔵継手）

サイズ	エルボ	45°エルボ	チーズ	ソケット	ニップル	ユニオン	プラグ	クロスオーバー	5Kフランジ	10Kフランジ
	L	L45	T	S	NI	UI	P	OS	5KF	10KF
15	590	1,090	910	690	610	1,970	790	-	-	-
20	690	1,180	1,040	800	680	2,520	820	5,620	2,870	3,400
25	1,100	1,610	1,660	1,110	900	3,160	900	-	4,020	4,570
32	1,820	2,270	2,500	1,530	1,270	4,130	1,240	-	5,250	5,800
40	2,220	3,020	3,080	1,840	1,570	5,430	1,610	-	5,550	6,170
50	3,210	4,130	4,350	2,680	2,120	7,170	2,090	-	6,410	7,740
65	6,380	8,790	9,240	5,320	3,940	16,860	3,680	-	9,500	11,040
80	9,920	11,930	13,430	6,990	5,870	22,640	4,970	-	11,710	12,590
100	15,310	19,640	21,680	12,400	10,120	36,260	8,470	-	14,780	16,120
125	40,110	-	54,590	23,760	17,230	-	18,720	-	27,690	29,440
150	58,390	-	84,700	32,520	24,680	-	24,680	-	31,100	32,990

サイズ	径違いエルボ	径違いチーズ	径違いソケット	サイズ	径違いエルボ	径違いチーズ	径違いソケット
	RL	RT	RS		RL	RT	RS
20 X 15	990	1,180	1,030	65 X 50~40	11,950	19,710	6,160
20 X 15 X 15	-	-	-	80 X 20~15	-	19,710	9,900
25 X 20~15	1,450	1,710	1,280	80 X 32~25	-	19,710	-
32 X 15	-	3,290	-	80 X 40	18,100	19,710	9,900
32 X 25~20	2,330	2,760	1,670	80 X 65~50	15,250	16,600	8,330
40 X 20~15	3,850	4,130	2,580	100 X 32~15	-	32,410	-
40 X 32~25	3,240	3,500	2,180	100 X 40	-	32,410	17,290
50 X 15	-	5,780	-	100 X 50	31,330	32,410	17,290
50 X 25~20	5,780	5,780	3,410	100 X 80~65	26,450	27,310	14,540
50 X 40~32	4,870	4,870	2,880	125 X 100	-	-	28,010
65 X 15	-	15,250	-	150 X 100	-	106,990	39,410
65 X 32~20	-	15,250	7,340	150 X 125	-	-	39,410



### ●器具（異種金属）接続用PQWK継手

サイズ	おすアダプター		めすアダプター			エルボ	チーズ	ソケット	座付きエルボ
	エルボ	ソケット	エルボ	チーズ	ソケット				
	ZML	ZMS	ZFL	ZFT	ZFS				
15	5,330	5,440	4,930	6,170	5,040	960	-	1,020	-
20	6,100	6,210	5,670	8,100	5,800	1,110	1,410	1,110	2,280
25	8,730	8,830	7,770	-	7,220	1,650	-	1,560	-
32	12,760	12,240	11,030	-	10,330	3,110	-	2,590	-
40	15,810	15,240	16,090	-	15,080	3,770	-	3,180	-
50	19,170	17,870	19,170	-	17,050	5,450	-	4,580	-
サイズ	台付エルボ	径違いソケット	径違いエルボ	径違いチーズ	径違いソケット	径違いエルボ	径違いチーズ	径違いソケット	座付きエルボ
	ADRL	ZMRS	ZFRL	ZFRT	ZFRS	ARL	ART	ARS	ATRL
20 X 15	3,420	6,920	4,670	6,960	4,940	1,520	1,810	1,610	2,070
25 X 15	-	-	-	7,050	-	1,910	2,440	1,650	-
25 X 20	-	-	-	8,310	-	2,140	2,520	1,900	-

### ●器具接続用（坊食ねじ付）PQWK継手（A型）

### ●器具（異種金属）接続用PQWK継手

サイズ	給水栓用（ZC）				
	エルボ	チーズ	ソケット	座付きエルボ	台付エルボ
	ZCL	ZCT	ZCS	ZCTL	ZCDL
15	2,530	-	2,700	-	-
20	2,920	3,720	2,920	5,150	-
25	4,410	-	4,110	-	-
サイズ	径違いエルボ	径違いチーズ	径違いソケット	-	-
	ZCRL	ZCRT	ZXRS	-	-
20 X 15	4,110	4,780	3,830	4,740	5,750
25 X 15	5,630	5,560	-	-	-
25 X 20	5,660	5,630	5,040	-	-

### ●器具接続用青銅製持ち出しソケット（PQWK-BMS）

有効長さ	20 X 15	有効長さ	15
15mm	1,080	15mm	1,120
20	1,160	20	1,290
		25	1,470

●器具接続用PQWK継手(青銅製)

サイズ	めすおす エルボ	めすおす ソケット	ニップル
	BSL	BX	BNI
15	-	2,180	2,580
20	5,370	2,450	3,160
25	-	3,570	4,720
32	-	10,120	6,260
40	-	12,080	7,910
50	-	16,810	13,160
65	-	-	15,020
80	-	-	20,690

●青銅製ブッシング

サイズ	BBU
20 X 10	3,070
20 X 15	2,510
20	2,510
25 X 20~10	4,160
32 X 20~10	5,660
40 X 20~10	6,800
50 X 20~10	8,100

PCPQK継手(埋設配管用コア内蔵継手)

サイズ	エルボ	45°エルボ	チーズ	ソケット	ニップル	プラグ
	L	L45	T	S	NI	P
15	1,020	1,700	1,660	1,270	1,120	1,060
20	1,190	1,810	1,930	1,350	1,210	1,190
25	1,860	2,340	2,990	1,940	1,530	1,350
32	3,160	5,150	4,480	2,680	2,270	2,200
40	3,770	5,730	5,160	3,140	2,630	3,080
50	5,460	6,870	7,620	4,360	5,250	5,020
65	11,900	16,980	17,940	11,020	6,580	-
80	18,190	31,280	25,870	13,640	10,000	9,300
100	27,540	35,380	40,630	22,450	13,910	-

サイズ	径違いエルボ	径違いチーズ	径違いソケット
	RL	RT	RS
20 X 15	1,660	2,030	1,710
25 X 20~15	2,220	2,990	1,970
32 X 25~20	3,770	4,480	2,700
40 X 20	-	6,610	-
40 X 32~25	4,880	5,560	3,440
50 X 20	-	10,000	5,660
50 X 25	9,120	10,000	5,660
50 X 40~32	7,700	8,430	4,810
65 X 40	-	20,540	-
65 X 50	-	20,540	10,950
80 X 40~32	-	38,550	-
80 X 65~50	-	32,490	14,850
100 X 50~32	-	56,740	-
100 X 65	-	47,780	-
100 X 80	-	47,780	24,760

●埋設配管用PCPQK継手(器具接続用絶縁型)

サイズ	おすアダプター		めすアダプター	
	エルボ	ソケット	エルボ	ソケット
	ML	MS	FL	FS
15	6,130	6,370	5,570	5,830
20	6,930	7,170	6,280	6,500
25	10,040	10,240	8,620	9,660
32	15,110	14,200	13,320	12,210
40	18,490	17,420	15,940	16,480
50	22,880	20,470	21,860	19,270
サイズ	給水栓用絶縁継手		樹脂ねじ型	
	エルボ	ソケット	エルボ	ソケット
	ZCL	ZCS	AL	AS
15	-	-	2,030	2,220
20	5,970	6,740	2,180	2,420
25	-	-	3,440	3,520
32	-	-	5,980	4,440
40	-	-	6,960	5,170
50	-	-	9,340	7,120
20 X 15	8,060	8,310	4,080	3,050

鋼管溶接用継手(亜鉛メッキ) JIS-B2311

古林工業(株)

呼び径(A)	エルボ90°		エルボ45°		エルボ180°		チーズ
	ロング	ショート	ロング	ショート	ロング	ショート	
15	1,260	-	1,260	-	4,120	-	2,680
20	1,260	-	1,260	-	4,120	-	2,680
25	1,260	1,470	1,260	-	4,120	5,020	2,830
32	1,460	1,700	1,460	-	4,700	5,080	3,120
40	1,460	1,700	1,460	1,700	4,700	5,080	3,120
50	2,430	2,310	2,340	2,310	6,990	8,120	4,490
65	4,090	4,030	3,770	3,160	11,250	13,050	7,080
80	5,160	4,830	4,700	4,080	15,340	14,050	8,940
100	8,810	8,010	8,010	7,010	28,040	26,160	13,040
125	13,230	12,370	12,060	10,410	42,360	39,150	18,300
150	21,690	19,150	19,750	15,610	71,110	64,600	27,420
200	44,190	38,960	40,230	31,350	144,900	132,020	51,410
250	77,740	68,500	70,070	56,620	-	-	89,560
300	116,210	102,460	105,820	83,540	-	-	139,940
350	192,660	171,710	175,400	155,110	-	-	365,230

呼び径(A)	異形チーズ TR	呼び径(A)	レジューサー		呼び径(A)	レジューサー	
			偏芯	同芯		偏芯	同芯
20 X 15	2,950	20 X 15	2,540	1,600	150 X 125~100	16,070	10,820
25 X 20~15	3,120	25 X 20~15	2,540	1,600	200 X 100	51,010	26,880
32 X 25~15	3,620	32 X 15	5,090	2,730	200 X 150~125	26,880	18,800
40 X 15	4,000	32 X 25~20	2,600	1,630	250 X 100	97,490	51,330
40 X 32~20	3,620	40 X 15	6,110	3,280	250 X 125	81,240	42,770
50 X 20~15	5,420	40 X 20	5,090	2,730	250 X 200~150	42,840	28,830
50 X 40~25	4,950	40 X 32~25	2,600	1,630	300 X 150	125,790	66,230
65 X 25	8,540	50 X 20	6,960	3,680	300 X 250~200	66,290	46,250
65 X 50~32	7,780	50 X 25	5,880	3,060	350 X 150	-	195,770
80 X 32~25	10,800	50 X 40~32	3,050	1,950	350 X 200	309,900	163,140
80 X 65~40	9,830	65 X 25	9,710	5,130	350 X 300~250	163,250	113,810
100 X 50~25	15,790	65 X 32	8,090	4,270			
100 X 80~65	14,390	65 X 50~40	4,270	2,680			
125 X 65~40	22,120	80 X 25	-	6,200			
125 X 100~80	20,120	80 X 32	11,670	6,200			
150 X 80~50	33,200	80 X 40	9,720	5,160			
150 X 125~100	30,160	80 X 65~50	5,160	3,240			
200 X 80	60,240	100 X 40	17,540	9,230			
200 X 150~100	56,570	100 X 65~50	14,610	7,690			
250 X 100	108,360	100 X 80	7,730	4,840			
250 X 200~125	98,500	125 X 50	26,190	13,780			
300 X 125	170,050	125 X 80~65	21,820	11,480			
300 X 250~150	153,940	125 X 100	11,480	7,770			
350 X 150	441,940	150 X 65	36,460	19,230			
350 X 300~200	401,730	150 X 80	30,380	16,020			

## フランジ

上水フランジ(RF)

単位:円

口径	ねじ込み			溶接		溶接 閉止	
	黒	白	コート	黒	白	黒	白
80	6,710	8,360	10,620	4,290	5,590	6,070	8,130
100	7,880	9,490	14,530	5,060	6,490	10,480	14,080
125	10,090	13,150	17,960	6,380	8,660	14,150	18,990
150	13,370	16,020	29,320	8,130	10,820	19,460	26,090
200	23,630	28,320	35,610	12,370	16,410	39,180	52,560
250	-	-	-	15,780	21,520	56,450	75,720
300	-	-	-	23,200	30,530	68,030	91,280
350	-	-	-	39,200	49,380	-	-
400	-	-	-	47,160	57,340	-	-
500	-	-	-	70,840	84,130	-	-

JISフランジ

単位:円

口径	ねじ込み黒		ねじ込み白		ねじ込みコート	
	5K	10K	5K	10K	5K	10K
15	1,130	1,430	1,440	1,900	2,240	2,710
20	1,250	1,550	1,590	2,070	2,240	2,710
25	1,380	2,250	1,940	2,940	2,530	4,020
32	1,730	2,640	2,420	3,620	3,830	5,330
40	1,900	2,820	2,530	4,030	4,120	5,840
50	2,110	3,550	3,030	4,980	5,150	6,960
65	3,430	4,370	4,920	6,730	6,640	9,120
80	4,800	5,320	6,670	7,800	10,530	11,330
100	5,640	6,350	7,800	9,370	11,910	13,340
125	7,280	9,780	10,400	13,980	15,330	21,140
150	9,370	12,480	14,530	18,170	20,060	26,140

JISフランジ (FF)

単位:円

口径	溶接黒		溶接白		溶接閉止白	
	5K	10K	5K	10K	5K	10K
15	550	1,010	650	1,190	690	1,260
20	660	1,310	780	1,520	880	1,660
25	830	2,030	980	2,370	1,120	2,560
32	1,460	2,660	1,710	3,110	1,960	3,480
40	1,510	2,800	1,780	3,280	2,150	3,760
50	1,960	3,370	2,290	3,930	2,960	4,680
65	2,730	4,400	3,000	5,190	4,020	6,470
80	3,640	4,400	3,990	5,190	5,370	6,940
100	4,010	5,290	4,760	6,240	7,360	9,120
125	5,460	8,080	6,480	9,530	10,370	14,330
150	7,500	10,760	8,890	12,680	15,020	20,160
200	10,650	12,740	12,640	15,020	24,330	27,740
250	16,030	20,150	19,020	23,760	38,600	45,100
300	17,420	21,510	20,660	25,370	48,650	55,480
350	25,100	29,220	29,550	34,200	69,150	76,790
400	30,300	41,600	35,660	48,690	87,390	108,420
450	38,370	52,530	45,160	61,490	110,440	142,340