

26. 鋼管・継手類




鋼管





単位:円/本





口径	管長(m)	水道用亜鉛メッキ鋼管(新日鉄)		亜鉛メッキ鋼管(新日鉄)	
		ネジ付	ネジ無し	ネジ付	ネジ無し
15A	4.0	6,050	5,370	5,110	4,450
20A	4.0	7,430	6,580	6,210	5,470
25A	4.0	10,370	9,140	8,740	7,650
32A	4.0	13,750	12,060	11,610	10,110
40A	4.0	15,790	13,830	13,290	11,610
50A	4.0	21,680	18,820	18,220	15,860
65A	4.0	30,970	26,500	26,050	22,260
80A	4.0	37,090	31,200	31,230	26,210
100A	4.0	53,280	43,240	44,920	36,280
125A	5.5	96,760	75,430	81,830	63,420
150A	5.5	128,190	102,800	108,400	86,510
200A	5.5	-	156,520	-	131,720
250A	5.5	-	219,680	-	184,880
300A	5.5	-	275,330	-	231,700





口径	管長(m)	VLP-VB (JFE)	キーロンVD	キーロンVF(SGP-VS)	
				ネジ付	ネジ無し
15A	4.0	7,130	8,480	-	-
20A	4.0	7,900	9,660	-	8,780
25A	4.0	11,010	12,180	-	10,860
32A	4.0	14,690	15,770	-	13,810
40A	4.0	16,910	17,720	-	15,820
50A	4.0	22,990	24,010	20,570	19,110
65A	4.0	32,370	33,750	28,190	25,840
80A	4.0	38,070	39,500	32,680	29,660
100A	4.0	52,890	56,940	47,180	42,610
125A	4.0	64,960	77,000	-	55,530
150A	4.0	87,020	103,180	-	75,520
200A	5.5	-	-	-	136,400
250A	5.5	-	-	-	-
300A	5.5	-	-	-	-

鋼管継手類

口径	チーズ			90°エルボ			45°エルボ			ソケット		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304
15A	330	520	1,410	170	300	1,040	510	770	1,660	260	450	480
20A	400	590	2,010	250	400	1,480	550	830	2,490	320	520	690
25A	640	950	2,870	430	620	2,070	750	1,220	3,420	450	640	970
32A	1,090	1,610	4,260	780	1,150	3,280	1,160	1,860	4,510	640	1,040	1,380
40A	1,350	1,990	4,930	940	1,390	3,800	1,540	2,460	5,700	810	1,160	1,660
50A	2,100	3,150	7,550	1,390	2,100	5,660	2,290	3,430	8,250	1,230	1,790	2,490
65A	4,620	6,930	13,700	2,980	4,550	12,800	4,610	7,390	14,200	2,480	3,770	4,560
80A	6,730	10,350	18,000	4,410	7,150	18,400	6,620	9,820	17,500	3,680	4,950	5,940
100A	11,340	16,460	36,300	7,390	10,930	34,200	11,340	16,420	31,400	6,150	8,820	10,400
125A	29,830	39,760	-	21,070	27,950	-	31,490	40,010	-	11,640	17,040	-
150A	45,240	61,650	-	29,120	40,760	-	47,770	59,750	-	16,000	23,410	-

口径	六角ニップル			ユニオン			プラグ			キャップ		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304	白	コート	SCS13A
15A	230	530	830	1,000	1,730	2,860	230	760	650	430	1,130	740
20A	260	550	1,300	1,210	2,130	3,730	290	790	880	500	1,310	960
25A	390	690	1,780	1,640	2,710	4,900	340	870	1,250	620	1,660	1,250
32A	580	1,050	2,390	2,350	3,510	6,350	520	1,230	1,550	900	2,220	1,700
40A	760	1,240	3,240	3,130	4,690	8,010	640	1,610	1,800	1,040	2,780	1,990
50A	1,100	1,790	4,630	4,650	6,380	11,200	930	2,120	2,700	1,400	3,820	2,890
65A	2,210	3,550	8,400	10,150	15,420	19,900	1,610	3,820	6,010	2,370	5,550	5,920
80A	3,450	5,550	12,500	12,950	20,600	29,000	2,480	5,210	7,460	3,320	7,060	7,790
100A	5,880	9,360	19,000	25,480	37,940	49,700	4,510	8,670	12,900	7,190	14,100	14,200
125A	13,980	19,760	-	52,750	73,510	-	12,140	19,300	-	14,470	25,770	-
150A	21,660	29,920	-	80,980	113,240	-	16,700	25,670	-	20,150	32,950	-

口径	クロス			サービスチーズ			ストリートエルボ			組フランジ		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	
15A	1,400	2,900	3,310	1,310	-	-	440	1,330	1,960	2,750	3,770	-
20A	1,440	3,120	4,660	1,320	-	-	480	1,410	2,490	2,940	3,940	-
25A	2,290	4,860	7,180	1,350	-	-	780	1,930	3,360	3,130	4,740	-
32A	3,580	7,060	10,400	2,190	-	-	1,230	2,780	4,950	4,610	6,810	-
40A	4,610	9,710	11,300	2,580	-	-	1,630	3,460	6,310	4,960	7,060	-
50A	5,240	10,960	16,600	3,820	-	-	2,370	4,630	9,150	5,810	8,340	-
65A	11,620	23,120	-	9,640	-	-	5,120	10,410	-	10,590	16,190	-
80A	16,010	32,950	-	10,100	-	-	8,040	16,190	-	11,790	17,690	-
100A	24,040	50,390	-	-	-	-	15,100	-	-	17,200	26,240	-
125A	54,970	98,930	-	-	-	-	-	-	-	32,320	41,960	-
150A	88,570	157,080	-	-	-	-	-	-	-	37,840	55,260	-

口径	径違いチーズ			径違い90°エルボ			径違いソケット			ブッシング		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A
20X15	550	860	2,600	380	690	2,140	490	710	1,840	410	910	970
25X20.15	760	1,140	3,890	670	1,050	2,970	580	910	2,900	550	1,130	1,550
32X25.20	1,500	2,010	5,780	1,310	1,890	4,280	880	1,310	4,490	960	1,640	2,140
32X15	1,730	2,440	5,780	1,520	2,150	4,280	980	1,480	4,490	1,100	1,890	2,140
40X32.25	1,910	2,780	6,620	1,580	2,440	5,460	1,140	1,690	6,150	1,160	2,040	2,760
40X20.15	2,250	3,120	6,620	1,790	2,900	5,460	1,310	1,940	6,150	1,330	2,440	2,760
50X40.32	2,990	4,150	10,200	2,580	3,820	7,660	1,610	2,270	9,110	1,600	2,900	3,940
50X25~15	3,520	4,740	10,200	2,940	4,500	7,660	1,790	2,550	9,110	1,820	3,360	3,940
65X50.40	6,790	10,410	-	6,730	10,170	-	3,040	4,960	-	2,760	5,090	7,590
65X32~15	7,960	11,210	-	7,920	12,040	-	3,580	5,800	-	2,940	5,800	7,590
80X65.50	9,400	13,290	-	9,110	13,060	-	4,700	6,810	-	3,770	7,280	10,500
80X40~15	10,960	15,150	-	10,590	14,790	-	5,350	7,840	-	4,430	8,340	10,500
100X80.65	16,110	22,200	-	15,930	21,520	-	7,820	11,440	-	7,280	12,040	20,700
100X50~15	18,690	25,430	-	18,330	24,750	-	8,760	13,190	-	8,280	13,750	20,700
125X100.80	42,950	53,160	-	39,080	53,160	-	15,800	22,200	-	14,470	21,720	-
125X65~15	50,500	61,360	-	45,850	61,360	-	18,230	25,770	-	16,700	24,970	-
150X125.100	64,730	79,760	-	59,020	85,640	-	21,660	31,100	-	20,150	31,450	-
150X80~15	75,020	91,780	-	68,140	98,470	-	25,100	35,820	-	22,980	36,180	-

リケン LAカップリング



(株)リケン

口径	ソケット		特寸ソケット		離脱付ソケット		離脱付ソケット		エルボ		離脱付エルボ	
	LA-S		LA-SSS		HI-LA S		HI-LA SSS		LA-L		HI-LA L	
	白	コート	白	コート	白	コート	白	コート	白	コート	白	コート
15A	810	1,100	1,080	1,250	1,500	1,670	1,670	1,840	1,240	1,370	1,890	1,980
20A	1,060	1,440	1,470	1,700	1,840	2,120	2,150	2,330	1,460	1,640	2,200	2,460
25A	1,440	1,960	2,010	2,540	2,460	2,790	2,890	3,090	2,190	2,500	3,090	3,360
32A	1,780	2,440	2,460	2,860	3,050	3,450	3,450	3,780	2,770	3,150	3,810	4,140
40A	2,190	3,020	3,240	3,820	3,530	4,200	4,470	5,000	3,550	4,080	4,820	5,300
50A	3,010	4,170	4,110	4,400	4,680	5,610	5,570	6,230	5,320	6,160	6,880	7,600
65A	6,810	7,510	-	-	9,940	11,640	-	-	9,370	11,130	13,210	15,590
80A	9,000	9,650	-	-	12,370	14,870	-	-	12,670	15,050	17,280	20,750

PQWK継手（露出配管用コア内蔵継手）

サイズ	エルボ	45°エルボ	チーズ	ソケット	ニップル	ユニオン	プラグ	クロスオーバー	5Kフランジ	10Kフランジ
	L	L45	T	S	NI	UI	P	OS	5KF	10KF
15	390	720	600	460	410	1,320	520	-	-	-
20	460	780	690	530	450	1,690	540	3,780	1,920	2,280
25	730	1,080	1,110	740	590	2,120	590	-	2,700	3,080
32	1,220	1,520	1,670	1,020	840	2,780	830	-	3,530	3,910
40	1,490	2,020	2,070	1,240	1,050	3,660	1,080	-	3,740	4,160
50	2,160	2,780	2,920	1,800	1,420	4,830	1,400	-	4,320	5,220
65	4,290	5,920	6,230	3,580	2,650	11,370	2,480	-	6,410	7,440
80	6,680	8,040	9,050	4,700	3,950	15,270	3,340	-	7,900	8,490
100	10,330	13,250	14,630	8,360	6,830	24,470	5,710	-	9,970	10,870
125	23,940	-	32,590	14,170	10,280	-	11,170	-	16,530	17,570
150	34,860	-	50,580	19,410	14,730	-	14,730	-	18,570	19,690

サイズ	径違いエルボ	径違いチーズ	径違いソケット	サイズ	径違いエルボ	径違いチーズ	径違いソケット
	RL	RT	RS		RL	RT	RS
20 X 15	660	780	680	65 X 50~40	8,060	8,660	4,150
20 X 15 X 15	-	1,150	-	80 X 20~15	-	11,760	5,900
25 X 20~15	970	1,140	850	80 X 32~25	-	11,760	-
32 X 15	-	1,960	-	80 X 40	10,800	11,760	5,900
32 X 25~20	1,560	1,850	1,120	80 X 65~50	10,290	11,190	5,610
40 X 20~15	2,290	2,450	1,530	100 X 32~15	-	19,340	-
40 X 32~25	2,170	2,350	1,460	100 X 40	-	19,340	10,320
50 X 15	-	3,440	-	100 X 50	18,700	19,340	10,320
50 X 25~20	3,440	3,440	2,020	100 X 80~65	17,850	18,420	9,810
50 X 40~32	3,270	3,270	1,930	125 X 100	-	-	16,720
65 X 15	-	9,100	-	150 X 100	-	63,890	23,520
65 X 32~20	-	9,100	4,370	150 X 125	-	-	23,520



●器具(異種金属)接続用PQWK継手

●器具接続用(坊食ねじ付)PQWK継手(A型)

サイズ	おすアダプター		めすアダプター			エルボ	チーズ	ソケット	座付きエルボ	台付チーズ
	エルボ	ソケット	エルボ	チーズ	ソケット					
	ZML	ZMS	ZFL	ZFT	ZFS					
15	3,170	3,240	2,930	3,670	3,000	640	-	670	-	-
20	3,630	3,690	3,380	4,830	3,450	740	940	740	1,530	1,150
25	5,200	5,260	4,630	-	4,300	1,100	-	1,040	-	-
32	7,610	7,300	6,580	-	6,160	1,840	-	1,540	-	-
40	9,430	9,090	9,590	-	9,000	2,250	-	1,890	-	-
50	11,430	10,660	11,430	-	10,170	3,250	-	2,730	-	-
サイズ	径違いソケット		径違いエルボ	径違いチーズ	径違いソケット	径違いエルボ	径違いチーズ	径違いソケット	座付きエルボ	台付エルボ
	ZMRS		ZFRL	ZFRT	ZFRS	ARL	ART	ARS	ATRL	ADRL
20 X 15	4,120		2,780	4,150	2,940	1,010	1,210	1,080	1,390	2,300
25 X 15	-		-	4,200	-	1,280	1,640	1,100	-	-
25 X 20	-		-	4,950	-	1,430	1,690	1,270	-	-

●器具(異種金属)接続用PQWK継手

●器具接続用青銅製持ち出しソケット

サイズ	給水栓用(ZC)				
	エルボ	チーズ	ソケット	座付きエルボ	台付エルボ
	ZCL	ZCT	ZCS	ZCTL	ZCDL
15	1,500	-	1,600	-	-
20	1,730	2,210	1,730	3,070	-
25	2,620	-	2,440	-	-
サイズ	径違いエルボ	径違いチーズ	径違いソケット	-	-
	ZCRL	ZCRT	ZXRS	-	-
20 X 15	2,440	2,840	2,270	2,820	3,420
25 X 15	3,350	3,310	-	-	-
25 X 20	3,370	3,350	3,000	-	-

(PQWK-BMS)			
有効長さ	20 X 15	有効長さ	15
15mm	640	15mm	660
20	680	20	760
25	760	22.5	810
30	780	25	870
35	900	30	1,000
40	1,040	35	1,120
45	1,130	40	1,240
55	1,400	45	1,450
		50	1,660

●器具接続用PQWK継手(青銅製)

サイズ	めすおす エルボ	めすおす ソケット	ニップル	プラグ
	BSL	BX	BNI	BP
15	-	1,290	1,530	1,310
20	3,200	1,450	1,880	1,490
25	-	2,120	2,810	2,400
32	-	6,030	3,730	3,010
40	-	7,200	4,710	3,520
50	-	10,030	7,850	4,440
65	-	-	8,960	-
80	-	-	12,340	-

●青銅製ブッシング

サイズ	BBU
20 X 10	1,830
20 X 15	1,490
20	1,490
25 X 20~10	2,480
32 X 20~10	3,370
40 X 20~10	4,050
50 X 20~10	4,830

PCPQK継手(埋設配管用コア内蔵継手)

サイズ	エルボ	45°エルボ	チーズ	ソケット	ニップル	プラグ
	L	L45	T	S	NI	P
15	670	1,130	1,110	840	750	710
20	790	1,210	1,290	900	810	790
25	1,250	1,570	2,010	1,300	1,020	900
32	2,120	3,460	3,010	1,800	1,520	1,480
40	2,530	3,860	3,470	2,110	1,760	2,070
50	3,670	4,630	5,130	2,930	3,530	3,380
65	8,020	11,450	12,100	7,430	4,430	-
80	12,260	21,110	17,450	9,200	6,740	6,260
100	18,580	23,870	27,420	15,150	9,380	-

サイズ	径違いエルボ	径違いチーズ	径違いソケット
	RL	RT	RS
20 X 15	1,110	1,360	1,140
25 X 20~15	1,490	2,010	1,320
32 X 25~20	2,530	3,010	1,810
40 X 20	-	3,930	-
40 X 32~25	3,280	3,750	2,320
50 X 20	-	5,960	3,370
50 X 25	5,430	5,960	3,370
50 X 40~32	5,180	5,680	3,240
65 X 40	-	13,860	-
65 X 50	-	13,860	7,380
80 X 40~32	-	23,010	-
80 X 65~50	-	21,920	10,010
100 X 40~32	-	33,870	-
100 X 65~50	-	32,250	-
100 X 80	-	32,250	16,710

●埋設配管用PCPQK継手(器具接続用絶縁型)

サイズ	おすアダプター		めすアダプター	
	エルボ	ソケット	エルボ	ソケット
	ML	MS	FL	FS
15	3,650	3,800	3,320	3,470
20	4,130	4,270	3,750	3,870
25	5,990	6,100	5,140	5,760
32	9,010	8,470	7,940	7,280
40	11,030	10,400	9,510	9,830
50	13,660	12,210	13,040	11,500
サイズ	給水栓用絶縁継手		樹脂ねじ型	
	エルボ	ソケット	エルボ	ソケット
	ZCL	ZCS	AL	AS
15	-	-	1,360	1,490
20	3,560	4,010	1,460	1,620
25	-	-	2,320	2,370
32	-	-	3,570	2,640
40	-	-	4,150	3,080
50	-	-	5,570	4,240
20 X 15	4,810	4,950	2,740	2,050

鋼管溶接用継手(亜鉛メッキ) JIS-B2311

古林工業(株)

呼び径(A)	エルボ90°		エルボ45°		エルボ180°		チーズ
	ロング	ショート	ロング	ショート	ロング	ショート	
15	650	-	650	-	1,960	-	1,430
20	650	-	650	-	1,960	-	1,430
25	650	800	650	-	1,960	2,400	1,510
32	780	900	780	-	2,250	2,420	1,570
40	780	900	780	900	2,250	2,420	1,660
50	1,250	1,230	1,250	1,230	3,340	3,880	2,400
65	2,010	2,150	2,010	1,690	5,380	6,250	3,790
80	2,650	2,410	2,520	2,180	7,340	6,720	4,790
100	4,520	4,110	4,290	3,750	13,420	12,520	6,990
125	6,800	6,200	6,460	5,580	20,280	18,750	9,810
150	11,150	9,600	10,600	8,370	34,050	30,930	14,710
200	22,720	19,540	21,590	16,820	69,390	63,220	27,590
250	39,980	34,370	37,980	30,390	-	-	48,060
300	59,770	51,410	56,790	44,830	-	-	75,100
350	99,100	92,160	94,140	83,250	-	-	196,040

呼び径(A)	異形チーズ RT	呼び径(A)	レジューサー		呼び径(A)	レジューサー	
			偏芯	同芯		偏芯	同芯
20 X 15	1,570	20 X 15	1,350	850	150 X 125~100	8,610	5,800
25 X 20~15	1,670	25 X 20~15	1,350	850	200 X 100	27,370	14,420
32 X 25~15	1,730	32 X 15	2,530	1,350	200 X 150~125	14,420	10,080
40 X 15	2,140	32 X 25~20	1,350	850	250 X 100	52,320	27,540
40 X 32~20	1,940	40 X 15	-	1,620	250 X 125	43,600	22,950
50 X 20~15	2,900	40 X 20	2,530	1,350	250 X 200~150	22,990	15,470
50 X 40~25	2,650	40 X 32~25	1,350	850	300 X 150	67,510	35,540
65 X 25	4,570	50 X 20	3,720	1,960	300 X 250~200	35,570	24,810
65 X 50~32	4,170	50 X 25	3,100	1,630	350 X 200	166,330	87,560
80 X 32~25	5,790	50 X 40~32	1,620	1,040	350 X 300~250	87,610	61,080
80 X 65~40	5,270	65 X 25	5,210	2,740			
100 X 50~25	8,470	65 X 32	4,340	2,280			
100 X 80~65	7,710	65 X 50~40	2,280	1,430			
125 X 65~40	11,870	80 X 25	-	3,320			
125 X 100~80	10,790	80 X 32	6,260	3,320			
150 X 80~50	17,810	80 X 40	5,210	2,760			
150 X 125~100	16,180	80 X 65~50	2,760	1,730			
200 X 80	33,400	100 X 40	-	4,950			
200 X 150~100	30,350	100 X 65~50	7,830	4,120			
250 X 100	58,150	100 X 80	4,130	2,590			
250 X 200~125	52,860	125 X 50	14,040	7,380			
300 X 125	91,260	125 X 80~65	11,700	6,150			
300 X 250~150	82,620	125 X 100	6,150	4,160			
350 X 150	237,210	150 X 65	19,560	10,310			
350 X 300~200	215,620	150 X 80	16,300	8,590			

フランジ

古林工業(株)

上水フランジ

単位:円

口径	ねじ込み			溶接		溶接盲	
	黒	白	コート	黒	白	黒	白
80	5,160	6,430	7,180	2,240	2,930	3,180	4,260
100	6,060	7,300	8,780	2,650	3,400	5,490	7,370
125	7,760	10,110	13,810	3,340	4,540	7,410	9,940
150	10,280	12,320	15,490	4,260	5,670	10,190	13,670
200	18,170	21,780	27,390	6,480	8,590	20,520	27,520
250	-	-	-	8,190	11,180	29,320	39,330
300	-	-	-	12,050	15,860	35,340	47,410
350	-	-	-	20,360	25,650	-	-
400	-	-	-	24,500	29,780	-	-
500	-	-	-	36,800	43,700	-	-

JISフランジ

単位:円

口径	ねじ込み黒		ねじ込み白		ねじ込みコート	
	5K	10K	5K	10K	5K	10K
15	650	820	830	1,100	1,290	1,560
20	710	890	910	1,200	1,290	1,560
25	800	1,300	1,110	1,700	1,460	2,320
32	1,000	1,520	1,400	2,090	2,210	3,080
40	1,100	1,630	1,460	2,330	2,380	3,370
50	1,210	2,050	1,750	2,880	2,970	4,030
65	1,980	2,530	2,840	3,900	3,840	5,280
80	2,770	3,070	3,860	4,510	6,100	6,560
100	3,260	3,670	4,510	5,420	6,900	7,730
125	4,210	5,660	6,020	8,100	8,880	12,250
150	5,420	7,230	8,410	10,530	11,620	15,150

JISフランジ

単位:円

口径	溶接黒		溶接白		溶接盲白	
	5K	10K	5K	10K	5K	10K
15	200	370	250	460	280	520
20	240	480	300	590	350	680
25	300	750	370	900	450	1,050
32	550	1,010	640	1,220	780	1,420
40	550	1,040	640	1,250	830	1,480
50	610	1,070	760	1,330	1,080	1,670
65	850	1,480	1,060	1,840	1,560	2,430
80	1,130	1,500	1,420	1,860	2,080	2,610
100	1,350	1,780	1,690	2,210	2,750	3,430
125	1,840	2,720	2,300	3,370	3,870	5,390
150	2,530	3,620	3,160	4,490	5,600	7,580
200	3,590	4,290	4,490	5,320	9,080	10,430
250	5,400	6,790	6,760	8,490	14,400	16,950
300	5,870	7,250	7,340	9,060	18,150	20,850
350	12,080	14,060	14,730	17,160	36,620	42,360
400	14,580	20,010	17,790	24,520	46,270	59,810
450	18,460	25,270	22,520	30,840	58,480	78,520