




27. タブチ給水材料



サドル分水栓

| JWWA B-117 A形 (ボール式) | | | | |
|----------------------|---|--------|---|---|
| 管種番 | 石綿管用 | 鋳鉄管用 | ビニル・鋼管用 | VD管用 |
| 寸法 | NX | NXD* | NXVS | NXVD |
| 40 X 13 | | | 12,530 | |
| 20 |  | | 14,550* | 15,060 |
| 25 | | | | 17,590 |
| 50 X 13 | | | 12,780* | |
| 20 | | | 14,810* | 15,440 |
| 25 | | | 17,970* | 18,980 |
| 75 X 13 | 13,790 | 13,790 | 13,410* | |
| 20 | 15,820 | 15,820 | 15,440* | |
| 25 | 19,110 | 19,110 | 18,730* | |
| 30 | | 37,830 | 38,210* | |
| 40 | | 44,910 | 44,410* | |
| 50 | | 54,530 | 53,890 | |
| 100 X 13 | 14,430 | 14,430 | 14,550* | |
| 20 | 16,450 | 16,450 | 16,580* | |
| 25 | 19,740 | 19,740 | 19,740* | |
| 30 | | 39,350 | 40,110* | |
| 40 | | 45,920 | 46,300* | |
| 50 | | 55,660 | 54,650* | |
| *125 X 13 | | 15,690 | 15,820* | |
| 20 | | 16,960 | 17,590* | |
| 25 | | 19,610 | 19,740* | |
| 30 | | 42,260 | 43,010* | |
| 40 | | 48,830 | 50,860* | |
| 50 | | 57,560 | 58,950* | |
| 150 X 13 | 16,580 | 16,580 | 15,940* | |
| 20 | 18,600 | 18,600 | 18,090* | |
| 25 | 21,760 | 21,760 | 20,370* | |
| 30 | | 44,910 | 45,920* | |
| 40 | | 50,980 | 51,620* | |
| 50 | | 59,710 | 60,850* | |
| | NXA* | | | |
| 200 X 13 | 25,050 | 25,050 | 24,550 | |
| 20 | 27,080 | 27,080 | 26,190 | |
| 25 | 30,240 | 30,240 | 28,470 | |
| 30 | | 50,230 | 54,650 | |
| 40 | | 56,800 | 61,100 | |
| 50 | | 66,290 | 70,970 | |
| 250 X 13 | 28,340 | 28,340 | | |
| 20 | 30,360 | 30,360 |  |  |
| 25 | 33,530 | 33,530 | | |
| 30 | | 61,860 | | |
| 40 | | 68,440 | | |
| 50 | | 77,930 | | |
| 300 X 13 | 30,870 | 30,870 | | |
| 20 | 32,890 | 32,890 | | |
| 25 | 36,060 | 36,060 | | |
| 30 | | 73,500 | | |
| 40 | | 80,080 | | |
| 50 | | 89,570 | | |
| 350 X 13 | 34,670 | 34,670 | | |
| 20 | 36,690 | 36,690 | | |
| 25 | 39,850 | 39,850 | | |
| 30 | | 83,750 | | |
| 40 | | 90,200 | | |
| 50 | | 99,690 | | |

* : JWWA B 1 1 7 規格品

* : 本管125は、準規格品

*1 : JWWA B 1 3 6 規格品

| TBC形 (ボール式) | | | | |
|-------------|--|---|---------|----------|
| 管種番 | 石綿管・鋳鉄管 | 鋳鉄管用 | ビニル・鋼管用 | ポリエチレン管用 |
| 寸法 | B X | B X C | B X V | B X P*1 |
| 40 X 13 | | | 10,120 | 9,750 |
| 20 |  |  | 11,770 | 11,010 |
| 25 | | | 13,920 | |
| 50 X 13 | | | 10,630 | 10,000 |
| 20 | | | 13,160 | 11,390 |
| 25 | | | 15,820 | 14,050 |
| 75 X 13 | 10,880 | | | |
| 20 | 13,410 | | | |
| 25 | 16,070 | | | |
| 30 | 33,910 | | | |
| 40 | 40,740 | | | |
| 50 | | 50,230 | | |
| 100 X 13 | 11,520 | | | |
| 20 | 14,050 | | | |
| 25 | 16,580 | | | |
| 30 | 35,680 | | | |
| 40 | 42,510 | | | |
| 50 | 52,000 | | | |
| 150 X 13 | 13,540 | | 15,310 | |
| 20 | 16,070 | | 17,840 | |
| 25 | 18,730 | | 20,370 | |
| 30 | | 39,090 | 39,600 | |
| 40 | | 45,920 | 46,430 | |
| 50 | | 55,290 | 55,540 | |
| 200 X 13 | | 20,370 | 51,360 | |
| 20 | | 22,770 | 53,890 | |
| 25 | | 25,560 | 56,550 | |
| 30 | | 43,270 | 59,460 | |
| 40 | | 50,100 | 64,770 | |
| 50 | | 59,590 | 74,260 | |
| 250 X 13 | 27,330 | 27,330 | | |
| 20 | 29,730 | 29,730 | | |
| 25 | 32,390 | 32,390 | | |
| 30 | 51,870 | 51,870 | | |
| 40 | 58,700 | 58,700 | | |
| 50 | 68,190 | 68,190 | | |
| | 石綿管用 | 鋳鉄管用 | | |
| | B X A | B X C | | |
| 300 X 13 | 31,760 | 31,760 | | |
| 20 | 34,290 | 34,290 | | |
| 25 | 36,820 | 36,820 | | |
| 30 | 61,740 | 61,740 | | |
| 40 | 68,570 | 68,570 | | |
| 50 | 78,060 | 78,060 | | |
| 350 X 13 | | 46,300 | | |
| 20 | | 47,820 | | |
| 25 | | 50,230 | | |
| 30 | | 75,650 | | |
| 40 | | 82,610 | | |
| 50 | | 91,970 | | |
| 400 X 13 | | 54,270 | | |
| 20 | | 55,290 | | |
| 25 | | 57,940 | | |
| 30 | | 68,310 | | |
| 40 | | 74,510 | | |
| 50 | | 83,750 | | |
| 450 X 13 | | 59,460 | | |
| 20 | | 61,860 | | |
| 25 | | 64,520 | | |
| 30 | | 73,000 | | |
| 40 | | 79,830 | | |
| 50 | | 89,190 | | |

| 配水管用ポリエチレン管サドル分水栓 (ボール式) PTC規格 | | | | | | | |
|--------------------------------|-----------|----------|--------|----------|--------|----------|--------|
| 管種 | 配水ポリエチレン管 | | | | | | |
| 品番 | BXHP-IK | | | | | | |
| 寸法 | 寸法 | 寸法 | 寸法 | 寸法 | 寸法 | 寸法 | 寸法 |
| 50 X 20 | 16,830 | 100 X 20 | 19,360 | 150 X 20 | 20,120 | 200 X 20 | 48,070 |
| 50 X 25 | 18,220 | 100 X 25 | 20,880 | 150 X 25 | 22,270 | 200 X 25 | 49,970 |
| 75 X 20 | 18,090 | 100 X 30 | 39,220 | 150 X 30 | 42,260 | 200 X 30 | 59,460 |
| 75 X 25 | 19,230 | 100 X 40 | 46,300 | 150 X 40 | 50,100 | 200 X 40 | 64,770 |
| 75 X 30 | 38,460 | 100 X 50 | 55,290 | 150 X 50 | 57,560 | 200 X 50 | 74,260 |
| 75 X 40 | 45,420 | | | | | | |
| 75 X 50 | 54,650 | | | | | | |

※20, 25 : 平行分岐形あり (品番末尾に-Pを付加) 価格は同一。200, 10,880
 13,410
 16,070
 33,910

止水栓PARTS

| ナット・コマ | | | | | | | |
|---------------------|-------|-------|-------|----------|----------|--------|--|
| 品名 | LPナット | GPナット | VPナット | GP・VPナット | GP・CPナット | 11520 | |
| 品番 | LPN | GN | VPN | GVN | GCN | 16580 | |
| 寸法 | LPN | GN | VPN | GVN | GCN | 16580 | |
| 13 | 320 | 320 | | | | 35,680 | |
| 16 | | | | | | 42,510 | |
| 20 | 440 | | | | 440 | 52,000 | |
| 25 | 730 | 730 | 730 | | | 13,540 | |
| 30 | 1,330 | 1,330 | 1,330 | | | 16,070 | |
| 40 | 1,990 | | | 1,990 | | 18,730 | |
| 50 | 2,830 | | | 2,830 | | | |
| 金門ネジ仕様 (品番末尾に-Kを付加) | | | | | | | |
| 13 | 320 | 320 | | | | | |
| 20 | 440 | 480 | | | | | |
| 25 | 730 | 730 | | | | | |
| 40 | 1,990 | | | 2,080 | | | |



ソケット・パッキン

| 品名 | LPソケット | GPソケット 管端防食コ | ソケット用パッキン | |
|---------|--------|-----------------|-----------|----------|
| | LPK | GPK-C | UVP | UVP (金門) |
| 13 | 370 | 980 | 40 | |
| 16 | | | 50 | |
| 20 | 620 | 1,200 | 50 | |
| 25 | 950 | 1,520 | 60 | 70 |
| 30 | | 2,420 | 70 | |
| 40 | | 2,820 | 90 | |
| 50 | | 3,780 | 130 | |
| 20 X 13 | | | | |



| 甲型止水栓 | | | | | | | | |
|----------|--------|--------|-------|--------|-------|--------|--------|----------|
| 品名 品番 | 協会形キー式 | キャップ式 | ハンドル式 | | | | 開閉栓防止式 | 目形開閉栓防止式 |
| | | | T形 | 丸形 | 蝶形 | BC丸形 | | |
| 寸法 | SAK | SAC | SAT | SAP | SAB | SAM | SAS | SASB |
| 13 | 2,930 | 3,200 | 3,200 | 3,200 | 3,200 | 4,100 | 4,190 | 4,540 |
| 20 | 4,740 | 5,060 | 5,060 | 5,060 | 5,060 | 5,960 | 6,050 | 6,400 |
| 25 | 6,780 | 7,110 | 7,110 | 7,110 | 7,110 | 8,010 | 8,080 | 8,450 |
| 30 | 14,750 | 15,110 | | 16,170 | | 16,000 | | |
| 40 | 18,700 | 19,050 | | 19,050 | | 19,950 | | |
| 50 | 28,380 | 28,740 | | 28,560 | | 29,640 | | |



メーター直結伸縮止水栓

| 品名 品番 | キー式 | キャップ式 | ハンドル式 | | |
|----------|--------|--------|--------|---------|--------|
| | | | T形 | 丸形 | 蝶形 |
| 寸法 | SEK | SEC | SET | SEP | SEB★ |
| 13 | 4,510 | 4,790 | 4,790 | 4,790★ | 4,790 |
| 20 | 7,330 | 7,600 | 7,600 | 7,600★ | 7,600 |
| 25 | 10,710 | 10,980 | 10,980 | 10,980★ | 10,980 |
| 20 X 13 | 7,330 | 7,600 | 7,600 | 7,600★ | 7,600 |
| 25 X 13 | 10,710 | 10,980 | 10,980 | 10,980★ | 10,980 |
| 25 X 20 | 11,070 | 11,330 | 11,330 | 11,330★ | 11,330 |
| 30 | | | | 24,620 | |
| 40 | | 30,530 | | 30,530★ | |
| 50 | | | | 47,590 | |



| 品名 品番 | 逆止弁付ボール伸縮止水栓 鹿児島市型 |
|----------|-----------------------|
| 寸法 | ★ |
| 13 | 8,720 |
| 20 | 11,870 |
| 25 | 17,500 |
| 20 X 13 | 11,870 |
| 25 X 13 | 16,710 |
| 25 X 20 | 15,460 |



ボール式メーター直結伸縮止水栓

| 品名 品番 | キャップ式 | ハンドル式 | | | 開閉栓防止付 | 品名 品番 | 寸法 | BEM |
|----------|--------|--------|--------|---------|---------|----------|--------|-----|
| | | 丸型 | 蝶形 | ツマミ形 | | | | |
| 寸法 | BEC | BEP | BEB★ | BER | BES | 寸法 | BEM | |
| 13 | 5,810 | 5,810 | 5,810 | 5,810★ | 7,600★ | 30 | 29,640 | |
| 20 | 9,270 | 9,270 | 9,270 | 9,270★ | 10,170★ | 40 | 40,590 | |
| 25 | 12,730 | 12,730 | 12,730 | 12,730★ | 13,620★ | 50 | 62,830 | |
| 20 X 13 | 9,270 | 9,270 | 9,270 | 9,270★ | 10,170 | | | |
| 25 X 13 | 12,730 | | 12,730 | 12,730 | 13,620 | | | |
| 25 X 20 | 13,090 | 13,090 | 13,090 | 13,090 | 13,990 | | | |



L止水栓 (ボール式直結伸縮止水栓・逆止弁付)

| 品名 品番 | キャップ式 | ハンドル式 | | | 開閉栓防止式 | ツマミ形ハンドル式 | | Mハンドル式 | | |
|----------|--------|--------|--------|--------|--------|-----------|--------|--------|--------|--------|
| | | ツマミ形 | 蝶形 | | | SUSボール | 金門ネジ | フランジ形 | | |
| 寸法 | BLC | BLR★ | BLB★ | BLS | | | BLR-Y | BLM | BLM-K | BLFM |
| 13 | 7,910 | 7,910 | 7,910 | 9,360 | | | 9,180 | | | |
| 20 | 11,190 | 11,190 | 11,190 | 12,370 | | | 13,480 | | | |
| 25 | 17,700 | 17,700 | 17,700 | 18,870 | | | 17,800 | | | |
| 20 X 13 | 11,190 | 11,190 | 11,190 | 12,370 | | | 13,130 | | | |
| 25 X 13 | 14,810 | 14,810 | 14,810 | 16,000 | | | 17,440 | | | |
| 25 X 20 | 15,000 | 15,000 | 15,000 | 16,170 | | | 17,610 | | | |
| 30 | | | | | | | | 39,500 | 41,310 | |
| 40 | | | | | | | | 53,860 | 53,860 | |
| 50 | | | | | | | | 75,400 | | 94,250 |



★：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一。

SPジョイント

| 品名 品番 寸法 | 鋼管用オネジ GM※ | 回転式鋼管用材※ GMR | 鋼管用メネジ GV※ | 分止水栓用 | | | メーター用 | | 回転式メーター用 MR | 銅鉛管用 CL |
|----------------|---------------|-----------------|---------------|----------|------------------|-------|-----------|-------------|----------------|------------|
| | | | | 回転式 N | スーパーバックシン付 NR | N-NSP | 上水ネジ M | 金門ネジ M-K | | |
| 13 | 1,280 | 3,080 | 1,280 | 1,320※ | 3,080 | 1,500 | 1,850※ | 1,850 | 3,200★ | 2,200※ |
| 20 | 1,850 | 3,800 | 1,850 | 1,920※ | 3,610 | 2,010 | 2,640※ | 2,640 | 4,440★ | 2,770※ |
| 25 | 2,450 | 5,410 | 2,450 | 2,540※ | 5,410 | 2,820 | 3,570※ | 3,570 | 6,630★ | 3,640※ |
| 30 | 4,640 | 8,990 | 4,640 | 4,950※ | 11,160 | | 7,290※ | | 11,690★ | 4,850 |
| 40 | 6,030 | 11,690 | 6,030 | 6,550※ | 13,860 | | 9,600※ | 9,600 | 15,270★ | 5,910 |
| 50 | 9,540 | 15,460 | 9,540 | 9,540※ | 18,870 | | 14,750※ | | 21,560 | 8,420 |
| 13 X 20P | | | | 2,180 | | | 2,180 | 2,180 | 3,710 | |
| 13 X 25P | | | | | | | | | 5,930 | |
| 20 X 13P | 1,750 | | | | 4,510 | | 10,880 | | | |
| 20 X 25P | | | | | | | 13,410 | | 6,280 | |
| 25 X 13P | | | | | | | 16,070 | | | |
| 25 X 20P | | | | 2,540 | 5,230 | | 33,910 | | | |
| 25 X 30P | | | | | | | 40,740 | | | |
| 50 X 40P | 6,670 | | | | | | | 50,230 | | |



11 520

42510

| 品番 寸法 | ソケット K※ | チーズ T※ | 60° ベンド | | 90° ベンド | 52,000 | 90° ベンドロング |
|----------|------------|-----------|---------|--------|---------|--------|------------|
| | | | N60 | N60-L | | | |
| 13 | 2,010 | 3,540 | 2,300★ | 3,190 | 2,330★ | 13,540 | 3,260 |
| 20 | 2,950 | 5,330 | 3,590★ | 4,700★ | 3,500★ | 16,070 | 4,510 |
| 25 | 3,700 | 7,020 | 4,790★ | 6,230★ | 4,720★ | 18,730 | 6,230 |
| 30 | 7,200 | 14,100 | 7,930 | | 7,930 | | |
| 40 | 9,830 | 19,010 | 10,270 | | 10,270 | 10,000 | |
| 50 | 15,000 | 26,410 | 14,020 | | 14,020 | | |
| 13 X 20P | | | 3,140 | 4,090 | | | 3,350 |
| 20 X 13P | | | 3,140 | | | | |
| 25 X 20P | | | | | 3,500 | | |



| 品番 寸法 | エルボ E※ | 45° エルボ | | 座付水栓エルボ Z※ | 座付水栓エルボ 三止 ZA | 座付水栓エルボ 20寸用 ZB |
|----------|-----------|---------|---------|---------------|------------------|--------------------|
| | | E45※ | Z※ | | | |
| 40 X 13 | 13,400 | | | | | |
| 40 X 20 | 7,390 | 15,110 | 13 | 2,260 | 2,510 | 2,300 |
| 40 X 25 | 7,830 | 15,870 | 20 | 3,400 | 3,980 | |
| 40 X 30 | 9,180 | 17,500 | 25 | 4,880 | 4,880 | |
| 50 X 13 | | 19,560 | 30 | 8,820 | 9,800 | |
| 50 X 20 | 9,890 | 20,500 | 40 | 11,390 | 12,010 | |
| 50 X 25 | 10,520 | 20,690 | 50 | 17,800 | 17,020 | |
| 50 X 30 | 11,160 | 22,670 | 20 X13P | | | 座付水栓エルボ ZC-1 |
| 50 X 40 | 12,110 | 23,730 | 20 X20P | | | 2,720 |
| | | | | | | 2,890 |



| 品番 寸法 | メネジチーズ GVT | パイプエンド PE※ | オネジエルボ GME | メネジエルボ GVE | ユニオンHI UV-HI※ | ユニオン種VPナット TS | 両回転式※※ 仕様 |
|----------|---------------|---------------|---------------|---------------|------------------|---------------|-----------|
| | | | | | | UVN-1TS | GMEWR |
| 13 | 2,860 | 1,620 | 1,990 | 1,990 | 2,510 | 2,360 | |
| 20 | 4,010 | 2,020 | | | 3,560 | 3,260 | |
| 25 | | 2,650 | | | 5,220 | 4,700 | 6,590 |
| 30 | | 4,300 | | | 8,020 | 7,740 | |
| 40 | | 5,610 | | | 10,610 | 10,080 | 14,590 |
| 50 | | 8,290 | | | 15,520 | 14,380 | 20,570 |
| 13 X 20 | 3,710 | | | | | | |




※：JWWA B-116 規格品

★：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一。

エラスジョイント

単位:円

| 品名 品番 | 鋼管用オネジ | 鋼管用メネジ | 鋼管用メネジ HI管端コ入 | メータ用 | 銅鉛管用 | 分止水栓用 | | V P x P P |
|----------|--------|--------|------------------|---------|--------|--------|--------|-----------|
| | | | | | | EN | EN-NSP | |
| 寸法 | EGM | EGV | ECV | EM | ECL | EN | EN-NSP | EVP-HI |
| 13 | 1,580 | 1,580 | 1,760 | 2,120☆ | 2,540 | 1,680 | 1,850 | 2,530 |
| 20 | 2,220 | 2,220 | 2,420 | 2,950☆ | 3,350 | 2,430 | 2,580 | 3,340 |
| 25 | 3,230 | 3,230 | | 4,240☆ | 4,460 | 3,440 | 3,610 | 4,510 |
| 30 | 5,350 | 5,350 | | 7,570 | 7,790 | 6,140 | | 8,640 |
| 40 | 7,130 | 7,130 | | 10,270☆ | 9,650 | 8,290 | | 10,430 |
| 50 | 11,000 | 11,000 | | 15,330 | 12,690 | 12,270 | | 15,460 |
| 13 X 16V | 2,360 | 2,360 | | 2,870☆ | | 2,460 | | |
| 13 X 20V | | | | 2,890☆ | | | | |
| 20 X 13V | | 1,820 | | | | | | |



| 品名 品番 | 座付水栓 エルボ | 座付水栓エルボ 六角 HI | | | 座付水栓 用 六角 |
|----------|-------------|---------------|-------|-------|--------------|
| 寸法 | EJZ | EJZ-A | EJZ-B | EJZ-C | EJZ-D |
| 13 | 2,630 | 2,530 | 2,530 | 2,530 | 2,530 |

まがった君

| 品名 品番 | 鋼管用オネジ | 鋼管用メネジ | メータ用 | 分止水栓用 | | Mリング | |
|----------|--------|--------|--------|--------|--------|------|--------|
| | | | | パッキン仕様 | | | 分止水栓用 |
| 寸法 | MJGM | MJGV | MJM※ | MJN | MJN-J | | MJN-C |
| 13 | 4,740 | 4,740 | 5,140 | 4,850 | | | 8,640 |
| 20 | 5,640 | 5,640 | 6,140 | 5,770 | | | 9,890 |
| 25 | 6,760 | 6,760 | 7,560 | 6,880 | | | 14,380 |
| 30 | 8,830 | | 10,790 | | 8,990 | | 17,960 |
| 40 | 12,580 | 12,580 | 14,380 | | 12,960 | | 26,940 |
| 50 | 16,170 | | 21,560 | | 17,960 | | |



☆: 金門ネジ仕様有 (品番末尾に-Kを付加) 価格は同一。

※: パッキン仕様有 (品番末尾に-Jを付加) 価格は同一。

メタルスリーブ挿入器

| 寸法 | 品番 | 品名・仕様 | 単価 | 寸法 | 品番 | 品名・仕様 | 単価 |
|--------|------|-------------------|---------|----|----|------------|-------|
| 20~50 | IS | メタルスリーブ専用挿入器フルセット | 118,470 | 40 | IM | メタルスリーブ | 1,780 |
| " | IL | " アタッチメントなし | 94,490 | 50 | IM | " | 2,570 |
| 20, 25 | IS-1 | " | 82,500 | 20 | IP | パーフェクトスリーブ | 1,070 |
| 13 | IM | メタルスリーブ | 740 | 25 | IP | " | 1,200 |
| 20 | IM | " | 890 | 30 | IP | " | 1,830 |
| 25 | IM | " | 1,130 | 40 | IP | " | 2,200 |
| 30 | IM | " | 1,410 | 50 | IP | " | 2,800 |



IS



IM

| 寸法 | 品番 | 品名・仕様 | | 単価 |
|--------|-------|-------|-------------------------|---------|
| 20, 25 | PAS | 電動穿孔機 | プラネットA 標準セット | 372,680 |
| 25 | PAS | " | " | 346,060 |
| 20~50 | LTN-S | " | イナズマ フルセット | 705,430 |
| - | LTN-O | " | イナズマ 本体 | 556,360 |
| 13~25 | DAS | 手動穿孔機 | フルセット (ACドリル、VPTドリル) | 117,150 |
| " | DAC | " | VPTドリルなし | 88,550 |
| " | DAL | " | AC、VPTドリルなし | 47,920 |
| 13~50 | DMS | " | フルセット (ACドリル、VPTドリル) | 316,800 |
| " | DMC | " | VPTドリルカッターなし | 218,390 |
| 30~50 | DMM | " | 30~50のみ AC、VPTドリルセット | 236,050 |
| " | DML | " | AC、VPT ドリルセットなし | 103,420 |



PAS



PB-MS



DAS



DMS

手動穿孔機部品

電動穿孔機部品

| 寸法 | 品番 | 品名 | 単価 | 品番 | 品名 | 単価 |
|----|------|--------------------------|--------|-----|--------------------------|--------|
| 13 | DAD | ACドリル (鋳鉄管マルチライニング用) | 7,750 | PAE | プラネットA用ドリル (鋳鉄管粉体管用) | 26,620 |
| 20 | | | 13,310 | | | |
| 25 | | | 19,360 | | | |
| 13 | DVD | VPドリル (塩ビ管用) | 7,630 | PME | プロボーラーM用ドリル (鋳鉄管粉体管用) | 21,970 |
| 20 | | | 9,320 | | | |
| 25 | | | 11,740 | | | |
| 20 | PHVC | 樹脂管用カッター (配水ポリエチレン管用) | 18,640 | | | |
| 25 | | | 19,970 | | | |