

26. 鋼管・継手類



鋼管

単位：円／本

口径	管長(m)	水道用亜鉛メッキ鋼管(新日鉄)		亜鉛メッキ鋼管(新日鉄)	
		ネジ付	ネジ無し	ネジ付	ネジ無し
15A	4.0	6,050	5,370	5,110	4,450
20A	4.0	7,430	6,580	6,210	5,470
25A	4.0	10,370	9,140	8,740	7,650
32A	4.0	13,750	12,060	11,610	10,110
40A	4.0	15,790	13,830	13,290	11,610
50A	4.0	21,680	18,820	18,220	15,860
65A	4.0	30,970	26,500	26,050	22,260
80A	4.0	37,090	31,200	31,230	26,210
100A	4.0	53,280	43,240	44,920	36,280
125A	5.5	96,760	75,430	81,830	63,420
150A	5.5	128,190	102,800	108,400	86,510
200A	5.5	-	156,520	-	131,720
250A	5.5	-	219,680	-	184,880
300A	5.5	-	275,330	-	231,700





口径	管長(m)	VLP-VB (JFE)	キーロンVD	キーロンVF(SGP-VS)	
				ネジ付	ネジ無し
15A	4.0	7,130	9,330	-	-
20A	4.0	7,900	10,630	-	10,100
25A	4.0	11,010	13,400	-	12,490
32A	4.0	14,690	17,350	-	15,880
40A	4.0	16,910	19,490	-	18,190
50A	4.0	22,990	26,410	24,680	21,980
65A	4.0	32,370	37,130	33,830	29,720
80A	4.0	38,070	43,450	39,220	34,110
100A	4.0	52,890	62,630	56,620	49,000
125A	4.0	64,960	84,700	-	63,860
150A	4.0	87,020	113,500	-	86,850
200A	5.5	-	-	-	-
250A	5.5	-	-	-	-
300A	5.5	-	-	-	-

鋼管継手類

口径	チーズ			90°エルボ			45°エルボ			ソケット		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304
15A	370	520	1,410	200	300	1,040	580	770	1,660	300	450	480
20A	450	590	2,010	280	400	1,480	620	830	2,490	360	520	690
25A	720	950	2,870	490	620	2,070	840	1,220	3,420	510	640	970
32A	1,230	1,610	4,260	880	1,150	3,280	1,300	1,860	4,510	720	1,040	1,380
40A	1,520	1,990	4,930	1,060	1,390	3,800	1,730	2,460	5,700	910	1,160	1,660
50A	2,360	3,150	7,550	1,560	2,100	5,660	2,570	3,430	8,250	1,380	1,790	2,490
65A	5,180	6,930	13,700	3,340	4,550	12,800	5,170	7,390	14,200	2,780	3,770	4,560
80A	7,540	10,350	18,000	4,940	7,150	18,400	7,420	9,820	17,500	4,130	4,950	5,940
100A	12,710	16,460	36,300	8,280	10,930	34,200	12,710	16,420	31,400	6,890	8,820	10,400
125A	33,410	39,760	-	23,600	27,950	-	35,270	40,010	-	13,040	17,040	-
150A	50,670	61,650	-	32,620	40,760	-	53,510	59,750	-	17,920	23,410	-

口径	六角ニップル			ユニオン			プラグ			キャップ		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304	白	コート	SCS13A
15A	260	530	830	1,120	1,730	2,860	260	760	650	490	1,130	740
20A	300	550	1,300	1,360	2,130	3,730	330	790	880	560	1,310	960
25A	440	690	1,780	1,840	2,710	4,900	390	870	1,250	700	1,660	1,250
32A	650	1,050	2,390	2,640	3,510	6,350	590	1,230	1,550	1,010	2,220	1,700
40A	860	1,240	3,240	3,510	4,690	8,010	720	1,610	1,800	1,170	2,780	1,990
50A	1,240	1,790	4,630	5,210	6,380	11,200	1,050	2,120	2,700	1,570	3,820	2,890
65A	2,480	3,550	8,400	11,370	15,420	19,900	1,810	3,820	6,010	2,660	5,550	5,920
80A	3,870	5,550	12,500	14,510	20,600	29,000	2,780	5,210	7,460	3,720	7,060	7,790
100A	6,590	9,360	19,000	28,540	37,940	49,700	5,060	8,670	12,900	8,060	14,100	14,200
125A	15,660	19,760	-	59,080	73,510	-	13,600	19,300	-	16,210	25,770	-
150A	24,260	29,920	-	90,700	113,240	-	18,710	25,670	-	22,570	32,950	-

口径	クロス			サーブチーズ			ストリートエルボ			組フランジ		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	
15A	1,570	2,900	3,310	1,470	-	-	500	1,330	1,960	3,080	3,770	-
20A	1,620	3,120	4,660	1,480	-	-	540	1,410	2,490	3,300	3,940	-
25A	2,570	4,860	7,180	1,520	-	-	880	1,930	3,360	3,510	4,740	-
32A	4,010	7,060	10,400	2,460	-	-	1,380	2,780	4,950	5,170	6,810	-
40A	5,170	9,710	11,300	2,890	-	-	1,830	3,460	6,310	5,560	7,060	-
50A	5,870	10,960	16,600	4,280	-	-	2,660	4,630	9,150	6,510	8,340	-
65A	13,020	23,120	-	10,800	-	-	5,740	10,410	-	11,870	16,190	-
80A	17,940	32,950	-	11,320	-	-	9,010	16,190	-	13,210	17,690	-
100A	26,930	50,390	-	-	-	-	16,920	-	-	19,270	26,240	-
125A	61,570	98,930	-	-	-	-	-	-	-	36,200	41,960	-
150A	-	-	-	-	-	-	-	-	-	42,390	55,260	-

口径	径違いチーズ			径違い90°エルボ			径違いソケット			ブッシング		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A
20X15	620	860	2,600	430	690	2,140	550	710	1,840	460	910	970
25X20.15	860	1,140	3,890	760	1,050	2,970	650	910	2,900	620	1,130	1,550
32X25.20	1,500	2,010	5,780	1,470	1,890	4,280	990	1,310	4,490	1,080	1,640	2,140
32X15	1,940	2,440	5,780	1,710	2,150	4,280	1,100	1,480	4,490	1,240	1,890	2,140
40X32.25	2,140	2,780	6,620	1,770	2,440	5,460	1,280	1,690	6,150	1,300	2,040	2,760
40X20.15	2,520	3,120	6,620	2,010	2,900	5,460	1,470	1,940	6,150	1,490	2,440	2,760
50X40.32	3,350	4,150	10,200	2,890	3,820	7,660	1,810	2,270	9,110	1,800	2,900	3,940
50X25~15	3,950	4,740	10,200	3,300	4,500	7,660	2,010	2,550	9,110	2,040	3,360	3,940
65X50.40	7,610	10,410	-	7,540	10,170	-	3,410	4,960	-	3,100	5,090	7,590
65X32~15	8,920	11,210	-	8,880	12,040	-	4,010	5,800	-	3,300	5,800	7,590
80X65.50	10,530	13,290	-	10,210	13,060	-	5,270	6,810	-	4,230	7,280	10,500
80X40~15	12,280	15,150	-	11,870	14,790	-	6,000	7,840	-	4,970	8,340	10,500
100X80.65	18,050	22,200	-	17,850	21,520	-	8,760	11,440	-	8,160	12,040	20,700
100X50~15	20,940	25,430	-	20,530	24,750	-	9,820	13,190	-	9,280	13,750	20,700
125X100.80	48,110	53,160	-	43,770	53,160	-	17,700	22,200	-	16,210	21,720	-
125X65~15	56,560	61,360	-	51,360	61,360	-	20,420	25,770	-	18,710	24,970	-
150X125.100	72,500	79,760	-	66,110	85,640	-	24,260	31,100	-	22,570	31,450	-
150X80~15	84,030	91,780	-	76,320	98,470	-	28,120	35,820	-	25,740	36,180	-

リケン LAカップリング



(株)リケン

口径	ソケット		特寸ソケット		離脱付ソケット		離脱付ソケット		エルボ		離脱付エルボ	
	LA-S		LA-SSS		HI-LA S		HI-LA SSS		LA-L		HI-LA L	
	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート
15A	900	1,260	1,260	1,450	1,650	1,860	1,910	2,080	1,400	1,530	2,110	2,210
20A	1,180	1,640	1,700	1,960	2,040	2,370	2,450	2,640	1,630	1,850	2,460	2,750
25A	1,620	2,220	2,320	2,940	2,690	3,140	3,300	3,520	2,450	2,790	3,480	3,770
32A	2,020	2,760	2,840	3,300	3,410	3,890	3,920	4,330	3,100	3,520	4,260	4,630
40A	2,450	3,360	3,670	4,330	3,810	4,630	4,980	5,560	3,940	4,530	5,270	5,830
50A	3,360	4,630	4,640	4,980	5,170	6,200	6,190	6,940	5,910	6,850	7,520	8,380
65A	7,630	8,360	-	-	10,980	12,770	-	-	10,420	12,360	14,560	17,030
80A	10,100	10,760	-	-	13,670	16,240	-	-	14,120	16,800	18,930	22,740

PQWK継手（露出配管用コア内蔵継手）

サイズ	エルボ	45°エルボ	チーズ	ソケット	ニップル	ユニオン	プラグ	クロスオーバー	5Kフランジ	10Kフランジ
	L	L45	T	S	NI	UI	P	OS	5KF	10KF
15	440	810	680	520	460	1,480	590	-	-	-
20	520	880	780	600	510	1,900	610	4,240	2,160	2,560
25	820	1,210	1,250	830	670	2,380	670	-	3,030	3,450
32	1,370	1,710	1,880	1,150	950	3,120	930	-	3,960	4,380
40	1,670	2,270	2,320	1,390	1,180	4,100	1,210	-	4,190	4,660
50	2,420	3,120	3,280	2,020	1,600	5,410	1,570	-	4,840	5,850
65	4,810	6,640	6,980	4,010	2,970	12,740	2,780	-	7,180	8,340
80	7,490	9,010	10,140	5,270	4,430	17,110	3,750	-	8,850	9,510
100	11,570	14,840	16,390	9,370	7,650	27,410	6,400	-	11,170	12,180
125	26,820	-	36,510	15,880	11,520	-	12,520	-	18,520	19,680
150	39,050	-	56,650	21,740	16,500	-	16,500	-	20,800	22,060

サイズ	径違いエルボ	径違いチーズ	径違いソケット	サイズ	径違いエルボ	径違いチーズ	径違いソケット
	RL	RT	RS		RL	RT	RS
20 X 15	740	880	770	65 X 50~40	9,030	9,700	4,650
20 X 15 X 15	-	-	-	80 X 20~15	-	13,180	6,610
25 X 20~15	1,090	1,280	960	80 X 32~25	-	13,180	-
32 X 15	-	2,200	-	80 X 40	12,100	13,180	6,610
32 X 25~20	1,750	2,080	1,260	80 X 65~50	11,530	12,540	6,290
40 X 20~15	2,570	2,750	1,720	100 X 32~15	-	21,670	-
40 X 32~25	2,440	2,640	1,640	100 X 40	-	21,670	11,560
50 X 15	-	3,860	-	100 X 50	20,950	21,670	11,560
50 X 25~20	3,860	3,860	2,270	100 X 80~65	20,000	20,640	10,990
50 X 40~32	3,670	3,670	2,170	125 X 100	-	-	18,730
65 X 15	-	10,200	-	150 X 100	-	71,560	26,350
65 X 32~20	-	10,200	4,900	150 X 125	-	-	26,350



●器具(異種金属)接続用PQWK継手

●器具接続用(坊食ねじ付)PQWK継手(A型)

サイズ	おすアダプター		めすアダプター			エルボ	チーズ	ソケット	座付きエルボ
	エルボ	ソケット	エルボ	チーズ	ソケット				
	ZML	ZMS	ZFL	ZFT	ZFS				
15	3,560	3,630	3,290	4,120	3,360	720	-	760	-
20	4,070	4,140	3,790	5,410	3,870	830	1,060	830	1,720
25	5,830	5,900	5,190	-	4,820	1,240	-	1,170	-
32	8,530	8,180	7,370	-	6,900	2,070	-	1,730	-
40	10,570	10,190	10,750	-	10,080	2,520	-	2,120	-
50	12,810	11,940	12,810	-	11,400	3,640	-	3,060	-
サイズ	台付エルボ	径違いソケット	径違いエルボ	径違いチーズ	径違いソケット	径違いエルボ	径違いチーズ	径違いソケット	座付きエルボ
	ADRL	ZMRS	ZFRL	ZFRT	ZFRS	ARL	ART	ARS	ATRL
20 X 15	2,580	4,620	3,120	4,650	3,300	1,140	1,360	1,210	1,560
25 X 15	-	-	-	4,710	-	1,440	1,840	1,240	-
25 X 20	-	-	-	5,550	-	1,610	1,900	1,430	-

●器具(異種金属)接続用PQWK継手

●器具接続用青銅製持ち出しソケット

サイズ	給水栓用(ZC)				
	エルボ	チーズ	ソケット	座付きエルボ	台付エルボ
	ZCL	ZCT	ZCS	ZCTL	ZCDL
15	1,680	-	1,800	-	-
20	1,940	2,480	1,940	3,440	-
25	2,940	-	2,740	-	-
サイズ	径違いエルボ	径違いチーズ	径違いソケット	-	-
	ZCRL	ZCRT	ZXRS	-	-
20 X 15	2,740	3,190	2,550	3,160	3,840
25 X 15	3,760	3,710	-	-	-
25 X 20	3,780	3,760	3,360	-	-

(PQWK-BMS)			
有効長さ	20 X 15	有効長さ	15
15mm	720	15mm	740
20	770	20	860
		25	980

●器具接続用PQWK継手(青銅製)

サイズ	めすおす エルボ	めすおす ソケット	ニップル
	BSL	BX	BNI
15	-	1,450	1,720
20	3,590	1,630	2,110
25	-	2,380	3,150
32	-	6,760	4,180
40	-	8,070	5,280
50	-	11,240	8,800
65	-	-	10,040
80	-	-	13,830

●青銅製ブッシング

サイズ	BBU
20 X 10	2,050
20 X 15	1,670
20	1,670
25 X 20~10	2,780
32 X 20~10	3,780
40 X 20~10	4,540
50 X 20~10	5,410

PCPQK継手(埋設配管用コア内蔵継手)

サイズ	エルボ	45°エルボ	チーズ	ソケット	ニップル	プラグ
	L	L45	T	S	NI	P
15	760	1,270	1,250	950	840	800
20	890	1,360	1,450	1,010	910	890
25	1,400	1,760	2,260	1,460	1,150	1,010
32	2,380	3,880	3,380	2,020	1,710	1,660
40	2,840	4,330	3,890	2,370	1,980	2,320
50	4,120	5,190	5,750	3,290	3,960	3,790
65	8,990	12,830	13,560	8,330	4,970	-
80	13,740	23,650	19,550	10,310	7,550	7,020
100	20,810	26,740	30,720	16,970	10,510	-
サイズ	径違いエルボ	径違いチーズ	径違いソケット			
	RL	RT	RS			
20 X 15	1,250	1,530	1,280			
25 X 20~15	1,670	2,260	1,480			
32 X 25~20	2,840	3,380	2,030			
40 X 20	-	4,410	-			
40 X 32~25	3,680	4,200	2,600			
50 X 20	-	6,680	3,780			
50 X 25	6,090	6,680	3,780			
50 X 40~32	5,810	6,370	3,630			
65 X 40	-	15,530	-			
65 X 50	-	15,530	8,270			
80 X 40~32	-	25,780	-			
80 X 65~50	-	24,560	11,220			
100 X 40~32	-	37,940	-			
100 X 65~50	-	36,120	-			
100 X 80	-	36,120	18,720			

●埋設配管用PCPQK継手(器具接続用絶縁型)

サイズ	おすアダプター		めすアダプター	
	エルボ	ソケット	エルボ	ソケット
	ML	MS	FL	FS
15	4,090	4,260	3,720	3,890
20	4,630	4,790	4,200	4,340
25	6,710	6,840	5,760	6,460
32	10,100	9,490	8,900	8,160
40	12,360	11,650	10,660	11,010
50	15,300	13,680	14,610	12,880
サイズ	給水栓用絶縁継手		樹脂ねじ型	
	エルボ	ソケット	エルボ	ソケット
	ZCL	ZCS	AL	AS
15	-	-	1,530	1,670
20	3,990	4,500	1,640	1,820
25	-	-	2,600	2,660
32	-	-	4,000	2,960
40	-	-	4,650	3,450
50	-	-	6,240	4,750
20 X 15	5,390	5,550	3,070	2,300

鋼管溶接用継手(亜鉛メッキ) JIS-B2311

古林工業(株)

呼び径(A)	エルボ90°		エルボ45°		エルボ180°		チーズ
	ロング	ショート	ロング	ショート	ロング	ショート	
15	650	-	650	-	1,960	-	1,430
20	650	-	650	-	1,960	-	1,430
25	650	800	650	-	1,960	2,400	1,510
32	780	900	780	-	2,250	2,420	1,570
40	780	900	780	900	2,250	2,420	1,660
50	1,250	1,230	1,250	1,230	3,340	3,880	2,400
65	2,010	2,150	2,010	1,690	5,380	6,250	3,790
80	2,650	2,410	2,520	2,180	7,340	6,720	4,790
100	4,520	4,110	4,290	3,750	13,420	12,520	6,990
125	6,800	6,200	6,460	5,580	20,280	18,750	9,810
150	11,150	9,600	10,600	8,370	34,050	30,930	14,710
200	22,720	19,540	21,590	16,820	69,390	63,220	27,590
250	39,980	34,370	37,980	30,390	-	-	48,060
300	59,770	51,410	56,790	44,830	-	-	75,100
350	99,100	92,160	94,140	83,250	-	-	196,040

呼び径(A)	異形チーズ RT	呼び径(A)	レジューサー		呼び径(A)	レジューサー	
			偏芯	同芯		偏芯	同芯
20 X 15	1,570	20 X 15	1,350	850	150 X 125~100	8,610	5,800
25 X 20~15	1,670	25 X 20~15	1,350	850	200 X 100	27,370	14,420
32 X 25~15	1,730	32 X 15	2,530	1,350	200 X 150~125	14,420	10,080
40 X 15	2,140	32 X 25~20	1,350	850	250 X 100	52,320	27,540
40 X 32~20	1,940	40 X 15	-	1,620	250 X 125	43,600	22,950
50 X 20~15	2,900	40 X 20	2,530	1,350	250 X 200~150	22,990	15,470
50 X 40~25	2,650	40 X 32~25	1,350	850	300 X 150	67,510	35,540
65 X 25	4,570	50 X 20	3,720	1,960	300 X 250~200	35,570	24,810
65 X 50~32	4,170	50 X 25	3,100	1,630	350 X 200	166,330	87,560
80 X 32~25	5,790	50 X 40~32	1,620	1,040	350 X 300~250	87,610	61,080
80 X 65~40	5,270	65 X 25	5,210	2,740			
100 X 50~25	8,470	65 X 32	4,340	2,280			
100 X 80~65	7,710	65 X 50~40	2,280	1,430			
125 X 65~40	11,870	80 X 25	-	3,320			
125 X 100~80	10,790	80 X 32	6,260	3,320			
150 X 80~50	17,810	80 X 40	5,210	2,760			
150 X 125~100	16,180	80 X 65~50	2,760	1,730			
200 X 80	33,400	100 X 40	-	4,950			
200 X 150~100	30,350	100 X 65~50	7,830	4,120			
250 X 100	58,150	100 X 80	4,130	2,590			
250 X 200~125	52,860	125 X 50	14,040	7,380			
300 X 125	91,260	125 X 80~65	11,700	6,150			
300 X 250~150	82,620	125 X 100	6,150	4,160			
350 X 150	237,210	150 X 65	19,560	10,310			
350 X 300~200	215,620	150 X 80	16,300	8,590			

フランジ

古林工業(株)

上水フランジ

単位:円

口径	ねじ込み			溶接		溶接盲	
	黒	白	コート	黒	白	黒	白
80	5,160	6,430	7,180	2,760	3,600	3,910	5,240
100	6,060	7,300	8,780	3,260	4,180	6,750	9,070
125	7,760	10,110	13,810	4,110	5,580	9,110	12,230
150	10,280	12,320	15,490	5,240	6,970	12,530	16,810
200	18,170	21,780	27,390	7,970	10,570	25,240	33,850
250	-	-	-	10,160	13,860	36,360	48,770
300	-	-	-	14,940	19,670	43,820	58,790
350	-	-	-	25,250	31,810	-	-
400	-	-	-	30,380	36,930	-	-
500	-	-	-	38,080	49,800	-	-

JISフランジ

単位:円

口径	ねじ込み黒		ねじ込み白		ねじ込みコート	
	5K	10K	5K	10K	5K	10K
15	780	990	1,000	1,320	1,550	1,880
20	860	1,070	1,100	1,440	1,550	1,880
25	960	1,560	1,340	2,040	1,760	2,790
32	1,200	1,830	1,680	2,510	2,660	3,700
40	1,320	1,960	1,760	2,800	2,860	4,050
50	1,460	2,460	2,100	3,460	3,570	4,840
65	2,380	3,040	3,410	4,680	4,610	6,340
80	3,330	3,690	4,640	5,420	7,320	7,880
100	3,920	4,410	5,420	6,510	8,280	9,280
125	5,060	6,800	7,230	9,720	10,660	14,700
150	6,510	8,680	10,100	12,640	13,950	18,180

JISフランジ

単位:円

口径	溶接黒		溶接白		溶接盲白	
	5K	10K	5K	10K	5K	10K
15	240	440	300	550	340	620
20	290	580	360	710	420	820
25	360	900	440	1,080	540	1,260
32	660	1,210	770	1,460	940	1,700
40	660	1,250	770	1,500	1,000	1,780
50	730	1,280	910	1,600	1,300	2,000
65	1,020	1,780	1,270	2,210	1,870	2,920
80	1,360	1,800	1,700	2,230	2,500	3,130
100	1,620	2,140	2,030	2,650	3,300	4,120
125	2,210	3,260	2,760	4,040	4,640	6,470
150	3,040	4,340	3,790	5,390	6,720	9,100
200	4,310	5,150	5,390	6,380	10,900	12,520
250	6,700	8,420	8,380	10,530	17,860	21,020
300	7,280	8,990	9,100	11,230	22,510	25,850
350	14,980	17,430	18,270	21,280	45,410	52,530
400	18,080	24,810	22,060	30,400	57,370	74,160
450	22,890	31,330	27,920	38,240	72,520	97,360