

31. ダイモンバルブボックス

コンクリート製ボックス

(株)ダイヤモンド

仕切弁室 (コンクリート製)

| 口径 | | φ50~75 | | 数量 | | | | | | | | 重量 (kg) |
|------------|------|--------|-----|--------|--------|--------|--------|--------|--------|--------|------|------------|
| 種類 | 品番 | 価格(円) | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 450 | 550 | 650 | 750 | 850 | 950 | 1050 | | |
| 鉄蓋 | SE24 | 21,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 47.6 | |
| 嵩上げ | B5RP | 5,000 | | | | | | | | | 2.2 | |
| 壁 | B10 | 2,500 | | 1 | | | | | | | 16.8 | |
| | B15 | 3,100 | | | | | | | | | 18.0 | |
| | B20 | 3,300 | | | 1 | | | 1 | | | 23.0 | |
| | B30 | 4,000 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | | 34.0 | |
| 底板 | スラブ | 4,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | 40.0 | |
| 組み合わせ金額(円) | | | | 29,400 | 31,900 | 32,700 | 33,400 | 35,900 | 36,700 | 37,400 | | |


仕切弁室 (コンクリート製)

| 口径 | | φ100~150 | | 数量 | | | | | | | | 重量 (kg) |
|------------|------|----------|-----|--------|--------|--------|--------|--------|--------|--------|------|------------|
| 種類 | 品番 | 価格(円) | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | | |
| 鉄蓋 | SE24 | 21,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 47.6 | |
| 嵩上げ | B5RP | 5,000 | | | | | | | | | 2.2 | |
| 壁 | B10 | 2,500 | 1 | | | 1 | | | | 1 | 16.8 | |
| | B15 | 3,100 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 18.0 | |
| | B20 | 3,300 | | 1 | | | | | | | 23.0 | |
| | B30 | 4,000 | | | 1 | 1 | 1 | 1 | 2 | 2 | 34.0 | |
| 底板 | スラブ | 4,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 40.0 | |
| 組み合わせ金額(円) | | | | 31,000 | 31,800 | 32,500 | 35,000 | 35,800 | 36,500 | 39,000 | | |

仕切弁室 (コンクリート製)

| 口径 | | φ200~ | | 数量 | | | | | | | | 重量 (kg) |
|------------|------|--------|-----|--------|--------|--------|--------|--------|--------|--------|------|------------|
| 種類 | 品番 | 価格(円) | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | | |
| 鉄蓋 | SE24 | 21,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 47.6 | |
| 嵩上げ | B5RP | 5,000 | 1 | | | | | | | | 2.2 | |
| 壁 | B10 | 2,500 | | | | | 1 | | | 1 | 16.8 | |
| | B15 | 3,100 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 18.0 | |
| | B20 | 3,300 | | | | | | 1 | | | 23.0 | |
| | B30 | 4,000 | | | | | | | 1 | 1 | 34.0 | |
| アダプター | BC10 | 5,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 32.0 | |
| 下部壁 | C10 | 3,300 | 1 | 1 | | | | | | | 43.0 | |
| | D20 | 6,600 | | | 1 | 1 | 1 | 1 | 1 | 1 | 45.0 | |
| 底板 | スラブ | 6,600 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 68.0 | |
| 組み合わせ金額(円) | | | | 41,300 | 39,400 | 42,700 | 45,200 | 46,000 | 46,700 | 49,200 | | |

SE24




コンクリート製ボックス

株ダイモン

空気弁・消火栓室(コンクリート製)

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) |
|------------|-------|--------|------------|--------|--------|--------|--------|--------|--------|--------|------------|
| | | | 土被り 製品高 | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | |
| 鉄蓋 | SY45C | 56,100 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 104.0 |
| 嵩上げ | C5RP | 6,600 | | | 1 | | | | | | 5.5 |
| 壁 | C10 | 3,300 | | | | | 1 | | 1 | | 27.0 |
| | C15 | 4,700 | | 1 | | 1 | 1 | 1 | 1 | 1 | 33.0 |
| | C20 | 5,300 | | | | | | 1 | 1 | 2 | 43.0 |
| 下部壁 | D20 | 6,600 | | | 1 | 1 | 1 | 1 | 1 | 1 | 45.0 |
| 底板 | スラブC | 6,600 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 68.0 |
| 組み合わせ金額(円) | | | | 67,400 | 75,900 | 74,000 | 77,300 | 79,300 | 82,600 | 84,600 | |


SY45C



バルブボックス(コンクリート製)

| 口径 | | φ30~40 | | 数量 | | | | | | | | 重量 (kg) |
|------------|------|--------|------------|--------|--------|--------|--------|--------|---|--|------|------------|
| 種類 | 品番 | 価格(円) | 土被り 製品高 | 500 | 600 | 700 | 800 | 900 | | | | |
| 鉄蓋 | VL1 | 14,300 | | 1 | 1 | 1 | 1 | 1 | | | 47.6 | |
| 嵩上げ | B5RP | 5,000 | | | | | | | | | 2.2 | |
| 壁 | B10 | 2,500 | | 1 | | | 1 | | | | 16.8 | |
| | B15 | 3,100 | | | | | | | | | 18.0 | |
| | B20 | 3,300 | | | 1 | | | 1 | | | 23.0 | |
| | B30 | 4,000 | | | | | 1 | 1 | 1 | | 34.0 | |
| 底板 | スラブB | 4,200 | | 1 | 1 | 1 | 1 | 1 | | | 40.0 | |
| 組み合わせ金額(円) | | | | 21,000 | 21,800 | 22,500 | 25,000 | 25,800 | | | | |

VL1



D-Unit 鑄鉄製ボックス

(株)ダイヤモンド

仕切弁室 円形1号型 内径φ250

| 仕切弁室 | | 円形1号型 | | 内径φ250 | | | | | | | | |
|------------|----------|--------|------------|--------|--------|--------|--------|--------|--------|--------|------------|------|
| 口径 | | φ50~75 | | | | | | | | | | |
| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| 鉄蓋 | SE8BC | 24,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 上部壁 | FB25A-5 | 5,000 | | | | | | | | | | 7.9 |
| | FB25A-10 | 7,400 | | | 1 | | | | 1 | | | 9.2 |
| | FB25A-15 | 7,500 | | | | | | | | | | 11.7 |
| | FB25A-20 | 9,100 | | | | | 1 | | | 1 | | 12.7 |
| | FB25A-25 | 10,300 | | | | | | | | | 1 | 14.8 |
| | FB25A-30 | 11,600 | | 1 | | | | 1 | | | 1 | 16.2 |
| 中下部壁 | FB25B-10 | 5,100 | | | | | | | | | | 0.3 |
| | FB25B-15 | 5,600 | | | | | | | | | | 10.4 |
| | FB25B-20 | 7,000 | | | | | | | | | | 12.3 |
| | FB25B-30 | 8,700 | | | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 15.7 |
| 底板 | A-SSA | 2,400 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11.7 |
| 組み合わせ金額(円) | | | | 38,700 | 43,200 | 44,900 | 47,400 | 51,900 | 53,600 | 56,100 | | |



仕切弁室 円形1号型 内径φ250

| 仕切弁室 | | 円形1号型 | | 内径φ250 | | | | | | | | |
|------------|----------|--------|------------|--------|--------|--------|--------|--------|--------|--------|------------|------|
| 口径 | | φ100 | | | | | | | | | | |
| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| 鉄蓋 | SE8BC | 24,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 上部壁 | FB25A-5 | 5,000 | | | | 1 | | | 1 | | | 7.9 |
| | FB25A-10 | 7,400 | | | | | | | | | | 9.2 |
| | FB25A-15 | 7,500 | | | | | 1 | | | 1 | | 11.7 |
| | FB25A-20 | 9,100 | | | | | | | | | | 12.7 |
| | FB25A-25 | 10,300 | | 1 | | | | 1 | | | 1 | 14.8 |
| | FB25A-30 | 11,600 | | | | | | | | | | 16.2 |
| 中下部壁 | FB25B-10 | 5,100 | | | | | | | | | | 0.3 |
| | FB25B-15 | 5,600 | | | | | | | | | | 10.4 |
| | FB25B-20 | 7,000 | | | | | | | | | | 12.3 |
| | FB25B-30 | 8,700 | | | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 15.7 |
| 底板 | A-SSA | 2,400 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11.7 |
| 組み合わせ金額(円) | | | | 37,400 | 40,800 | 43,300 | 46,100 | 49,500 | 52,000 | 54,800 | | |

仕切弁室 円形1号型 内径φ250

| 仕切弁室 | | 円形1号型 | | 内径φ250 | | | | | | | | |
|------------|----------|----------|------------|--------|--------|--------|--------|--------|--------|--------|------------|------|
| 口径 | | φ150~200 | | | | | | | | | | |
| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| 鉄蓋 | SE8BC | 24,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 上部壁 | FB25A-5 | 5,000 | | 1 | | | | 1 | | | | 7.9 |
| | FB25A-10 | 7,400 | | | | | | | | | | 9.2 |
| | FB25A-15 | 7,500 | | | | 1 | | | 1 | | | 11.7 |
| | FB25A-20 | 9,100 | | | | | | | | | | 12.7 |
| | FB25A-25 | 10,300 | | | | | 1 | | | 1 | | 14.8 |
| | FB25A-30 | 11,600 | | | | | | | | | | 16.2 |
| 中下部壁 | FB25B-10 | 5,100 | | | | | | | | | | 0.3 |
| | FB25B-15 | 5,600 | | | | | | | | | | 10.4 |
| | FB25B-20 | 7,000 | | | | | | | | | | 12.3 |
| | FB25B-30 | 8,700 | | | | | | 1 | 1 | 1 | 2 | 15.7 |
| 底板 | A-SSA | 2,400 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11.7 |
| 組み合わせ金額(円) | | | | 32,100 | 34,600 | 37,400 | 40,800 | 43,300 | 46,100 | 44,500 | | |

SE8BC




D-Unit 鑄鉄製ボックス

(株)ダイモン

空気弁・消火栓室材 角型 内径 550×350

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | 重量 (kg) | |
|------------|-------------|--------|------------|---------|---------|---------|---------|---------|---------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | | 1200 |
| 鉄蓋 | SYE1AC | 53,600 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 47.0 |
| 上部壁 | FB5535A1-15 | 15,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 27.7 |
| 中部壁 | FB5535B-10 | 9,600 | 1 | | 1 | | | 1 | | 1 | 18.2 |
| | FB5535B-20 | 13,600 | | 1 | 1 | 2 | 2 | 3 | 3 | | 24.8 |
| 下部壁 | FB5535C-15 | 16,600 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 28.2 | |
| 底板 | DE-SS | 7,300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 56.0 | |
| 組み合わせ金額(円) | | | | 102,300 | 106,300 | 115,900 | 119,900 | 129,500 | 133,500 | 143,100 | |

SYE1AC



消火栓室 円形3号型 内径φ500

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | 重量 (kg) | |
|------------|-----------|--------|------------|---------|---------|---------|---------|---------|---------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | | 1200 |
| 鉄蓋 | SE53A-DZC | 60,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 53.7 |
| 上部壁 | FB50A-20 | 19,000 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 32.8 |
| 中部壁 | FB50B-10 | 9,300 | | | 1 | | | | 1 | | 16.8 |
| | FB50B-15 | 11,200 | | | | | | | | | 20.2 |
| | FB50B-20 | 11,900 | 1 | | | 1 | | | 1 | | 22.3 |
| | FB50B-30 | 16,300 | | 1 | 1 | 1 | 2 | 2 | 2 | | 30.9 |
| 底板 | FBP50 | 12,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 32.0 |
| 組み合わせ金額(円) | | | | 103,300 | 107,700 | 117,000 | 119,600 | 124,000 | 133,300 | 135,900 | |




空気弁室 円形3号型 内径φ500

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | 重量 (kg) | |
|------------|----------|--------|------------|--------|---------|---------|---------|---------|---------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | | 1200 |
| 鉄蓋 | SE53AC | 53,300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 53.7 |
| 上部壁 | FB50A-20 | 19,000 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 32.8 |
| 中部壁 | FB50B-10 | 9,300 | | | 1 | | | | 1 | | 16.8 |
| | FB50B-15 | 11,200 | | | | | | | | | 20.2 |
| | FB50B-20 | 11,900 | 1 | | | 1 | | | 1 | | 22.3 |
| | FB50B-30 | 16,300 | | 1 | 1 | 1 | 2 | 2 | 2 | | 30.9 |
| 底板 | FBP50 | 12,200 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 32.0 |
| 組み合わせ金額(円) | | | | 96,400 | 100,800 | 110,100 | 112,700 | 117,100 | 126,400 | 129,000 | |

SE53A-DZC

SE53AC

SE53AC



D-Unit 鑄鉄製ボックス

(株)ダイモン


仕切弁室 ミニネジ式鉄蓋 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
|------------|----------|--------|-----|--------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 450 | 550 | 650 | 750 | 850 | 950 | 1050 | | |
| 鉄蓋 | SENZ20C | 44,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 上部壁 | FB25A-5 | 5,000 | | | | | | | | | | 7.9 |
| | FB25A-10 | 7,400 | | 1 | | | 1 | | | | | 9.2 |
| | FB25A-15 | 7,500 | | | | | | | | | | 11.7 |
| | FB25A-20 | 9,100 | | | 1 | | | 1 | | | | 12.7 |
| | FB25A-25 | 10,300 | | | | | | | | | | 14.8 |
| | FB25A-30 | 11,600 | | | | 1 | | | | 1 | | 16.2 |
| 中下部壁 | FB25B-10 | 5,100 | | | | | | | | | | 0.3 |
| | FB25B-15 | 5,600 | | | | | | | | | | 10.4 |
| | FB25B-20 | 7,000 | | | | | | | | | | 12.3 |
| | FB25B-30 | 8,700 | | | | | 1 | 1 | 1 | 2 | | 15.7 |
| 底板 | A-SSA | 2,400 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 11.7 |
| 組み合わせ金額(円) | | | | 54,500 | 56,200 | 58,700 | 63,200 | 64,900 | 67,400 | 64,500 | | |

仕切弁室 ミニネジ式鉄蓋 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
|------------|-------------|--------|-----|--------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 450 | 550 | 650 | 750 | 850 | 950 | 1050 | | |
| 鉄蓋 | SENZ20C | 44,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 嵩上げ | FB25K-5 | 3,900 | | | 1 | | | | | | | 6.9 |
| 上部壁 | FB25A-5 | 5,000 | | | | | | | | | | 7.9 |
| | FB25A-10 | 7,400 | | | | 1 | | | 1 | | | 9.2 |
| | FB25A-15 | 7,500 | | | | | | | | | | 11.7 |
| | FB25A-20 | 9,100 | | | | | 1 | | | 1 | | 12.7 |
| | FB25A-25 | 10,300 | | | | | | | | | | 14.8 |
| | FB25A-30 | 11,600 | | | | | | | 1 | | | 16.2 |
| 上下部壁 | FB25AC45-10 | 7,700 | | 1 | | | | | | | | 13.1 |
| | FB25AC45-15 | 8,700 | | | 1 | | | | | | | 14.3 |
| 中下部壁 | FB25B-10 | 5,100 | | | | | | | | | | 0.3 |
| | FB25B-15 | 5,600 | | | | | | | | | | 10.4 |
| | FB25B-20 | 7,000 | | | | | | | | | | 12.3 |
| | FB25B-30 | 8,700 | | | | | | | 1 | 1 | | 15.7 |
| 下部壁 | FB25C45-20 | 13,100 | | | | 1 | 1 | 1 | 1 | 1 | 1 | 25.0 |
| 底板 | B-SS | 3,200 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 31.9 |
| 組み合わせ金額(円) | | | | 55,600 | 60,500 | 68,400 | 70,100 | 72,600 | 77,100 | 78,800 | | |

SENZ20C



レジンコンクリート製ボックス

(株)ダイモン

仕切弁室 円形1号型 内蓋付き 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | 重量 (kg) | |
|------------|------------|--------|------------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | | 1200 |
| 口径 | φ50~75 | | | | | | | | | | |
| 鉄蓋 | SE20C | 25,300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16.8 | |
| 嵩上げ | DRB25K-5 | 4,400 | | 1 | 1 | | 1 | 1 | | 2.2 | |
| 上部壁 | DRB25A-15 | 8,600 | | 1 | 1 | 1 | 1 | 1 | 1 | 9.2 | |
| 上下部壁 | DRB25CA-15 | 9,300 | | | | | | | | 13.0 | |
| | DRB25CA-30 | 13,600 | 1 | | | | | | | 16.7 | |
| 中部壁 | DRB25B-10 | 3,900 | | | | | | | | 5.0 | |
| | DRB25B-15 | 5,500 | | | | 1 | | | 1 | 6.1 | |
| | DRB25B-20 | 6,100 | | | | | 1 | | | 8.3 | |
| | DRB25B-30 | 7,900 | | | | | | 1 | 1 | 11.6 | |
| 下部壁 | DRB25C-20 | 7,900 | | 1 | | | | | | 10.6 | |
| | DRB25C-30 | 9,500 | | | 1 | 1 | 1 | 1 | 1 | 13.1 | |
| 底板 | A-SS | 2,900 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 14.6 | |
| 組み合わせ金額(円) | | | | 41,800 | 49,100 | 50,700 | 51,800 | 56,800 | 58,600 | 59,700 | |


仕切弁室 円形1号型 内蓋付き 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | 重量 (kg) | |
|------------|------------|--------|------------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | | 1200 |
| 口径 | φ100~150 | | | | | | | | | | |
| 鉄蓋 | SE20C | 25,300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16.8 | |
| 嵩上げ | DRB25K-5 | 4,400 | 1 | | | | | | | 2.2 | |
| 上部壁 | DRB25A-15 | 8,600 | | 1 | 1 | 1 | 1 | 1 | 1 | 9.2 | |
| 上下部壁 | DRB25CA-15 | 9,300 | 1 | | | | | | | 13.0 | |
| | DRB25CA-30 | 13,600 | | | | | | | | 16.7 | |
| 中部壁 | DRB25B-10 | 3,900 | | | | 1 | | | 1 | 5.0 | |
| | DRB25B-15 | 5,500 | | | | | 1 | | | 6.1 | |
| | DRB25B-20 | 6,100 | | | | | 1 | | | 8.3 | |
| | DRB25B-30 | 7,900 | | | | | | 1 | 1 | 11.6 | |
| 下部壁 | DRB25C-20 | 7,900 | | 1 | | | | | | 10.6 | |
| | DRB25C-30 | 9,500 | | | 1 | 1 | 1 | 1 | 1 | 13.1 | |
| 底板 | A-SS | 2,900 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 14.6 | |
| 組み合わせ金額(円) | | | | 44,900 | 44,700 | 46,300 | 50,200 | 52,400 | 54,200 | 58,100 | |

仕切弁室 円形1号型 内蓋付き 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | 重量 (kg) | |
|------------|------------|--------|------------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | 1100 | | 1200 |
| 口径 | φ200 | | | | | | | | | | |
| 鉄蓋 | SE20C | 25,300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 16.8 | |
| 嵩上げ | DRB25K-5 | 4,400 | | | 1 | | | | | 2.2 | |
| | DRB25K-10 | 7,400 | | 1 | | | | | | 7.5 | |
| 上部壁 | DRB25A-15 | 8,600 | | | | 1 | 1 | 1 | 1 | 9.2 | |
| 上下部壁 | DRB25CA-15 | 9,300 | 1 | 1 | | | | | | 13.0 | |
| | DRB25CA-30 | 13,600 | | | 1 | | | | | 16.7 | |
| 中部壁 | DRB25B-10 | 3,900 | | | | | 1 | | | 5.0 | |
| | DRB25B-15 | 5,500 | | | | | | 1 | | 6.1 | |
| | DRB25B-20 | 6,100 | | | | | | 1 | | 8.3 | |
| | DRB25B-30 | 7,900 | | | | | | | 1 | 11.6 | |
| 下部壁 | DRB25C-20 | 7,900 | | | | | | | | 10.6 | |
| | DRB25C-30 | 9,500 | | | | 1 | 1 | 1 | 1 | 13.1 | |
| 底板 | A-SS | 2,900 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 14.6 | |
| 組み合わせ金額(円) | | | | 37,500 | 44,900 | 46,200 | 46,300 | 50,200 | 52,400 | 54,200 | |

SE20C



レジンコンクリート製ボックス

(株)ダイヤモンド

仕切弁室 円形1号型 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
|------------|------------|--------|-----|--------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 450 | 550 | 650 | 750 | 850 | 950 | 1050 | | |
| 鉄蓋 | SE8BC | 24,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 嵩上げ | DRB25K-5 | 4,400 | | | 1 | 1 | | 1 | 1 | | | 2.2 |
| 上部壁 | DRB25A-15 | 8,600 | | | 1 | 1 | 1 | 1 | 1 | 1 | | 9.2 |
| 上下部壁 | DRB25CA-15 | 9,300 | | | | | | | | | | 13.0 |
| | DRB25CA-30 | 13,600 | 1 | | | | | | | | | 16.7 |
| 中部壁 | DRB25B-10 | 3,900 | | | | | | | | | | 5.0 |
| | DRB25B-15 | 5,500 | | | | | 1 | | | | 1 | 6.1 |
| | DRB25B-20 | 6,100 | | | | | | 1 | | | | 8.3 |
| | DRB25B-30 | 7,900 | | | | | | | 1 | 1 | | 11.6 |
| 下部壁 | DRB25C-20 | 7,900 | | 1 | | | | | | | | 10.6 |
| | DRB25C-30 | 9,500 | | | | 1 | 1 | 1 | 1 | 1 | | 13.1 |
| 底板 | A-SS | 2,900 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 14.6 |
| 組み合わせ金額(円) | | | | 41,200 | 48,500 | 50,100 | 51,200 | 56,200 | 58,000 | 59,100 | | |


仕切弁室 円形1号型 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
|------------|------------|--------|-----|--------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | | |
| 鉄蓋 | SE8BC | 24,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 嵩上げ | DRB25K-5 | 4,400 | | 1 | | | | | | | | 2.2 |
| 上部壁 | DRB25A-15 | 8,600 | | | 1 | 1 | 1 | 1 | 1 | 1 | | 9.2 |
| 上下部壁 | DRB25CA-15 | 9,300 | | 1 | | | | | | | | 13.0 |
| | DRB25CA-30 | 13,600 | | | | | | | | | | 16.7 |
| 中部壁 | DRB25B-10 | 3,900 | | | | | 1 | | | | 1 | 5.0 |
| | DRB25B-15 | 5,500 | | | | | | | | | | 6.1 |
| | DRB25B-20 | 6,100 | | | | | | 1 | | | | 8.3 |
| | DRB25B-30 | 7,900 | | | | | | | 1 | 1 | | 11.6 |
| 下部壁 | DRB25C-20 | 7,900 | | 1 | | | | | | | | 10.6 |
| | DRB25C-30 | 9,500 | | | | 1 | 1 | 1 | 1 | 1 | | 13.1 |
| 底板 | A-SS | 2,900 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 14.6 |
| 組み合わせ金額(円) | | | | 44,300 | 44,100 | 45,700 | 49,600 | 51,800 | 53,600 | 57,500 | | |

仕切弁室 円形1号型 内径φ250

| 種類 | 品番 | 価格(円) | 数量 | | | | | | | | 重量 (kg) | |
|------------|------------|--------|-----|--------|--------|--------|--------|--------|--------|--------|------------|------|
| | | | 土被り | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 | | |
| | | | 製品高 | 300 | 400 | 500 | 600 | 700 | 800 | 900 | | |
| 鉄蓋 | SE8BC | 24,700 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 17.4 |
| 嵩上げ | DRB25K-5 | 4,400 | | | | 1 | | | | | | 2.2 |
| | DRB25K-10 | 7,400 | | | 1 | | | | | | | 7.5 |
| 上部壁 | DRB25A-15 | 8,600 | | | | | 1 | 1 | 1 | 1 | | 9.2 |
| 上下部壁 | DRB25CA-15 | 9,300 | | 1 | 1 | | | | | | | 13.0 |
| | DRB25CA-30 | 13,600 | | | | 1 | | | | | | 16.7 |
| 中部壁 | DRB25B-10 | 3,900 | | | | | | 1 | | | | 5.0 |
| | DRB25B-15 | 5,500 | | | | | | | | | | 6.1 |
| | DRB25B-20 | 6,100 | | | | | | | 1 | | | 8.3 |
| | DRB25B-30 | 7,900 | | | | | | | | 1 | | 11.6 |
| 下部壁 | DRB25C-20 | 7,900 | | | | | | | | | | 10.6 |
| | DRB25C-30 | 9,500 | | | | | 1 | 1 | 1 | 1 | | 13.1 |
| 底板 | A-SS | 2,900 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 14.6 |
| 組み合わせ金額(円) | | | | 36,900 | 44,300 | 45,600 | 45,700 | 49,600 | 51,800 | 53,600 | | |

SE8BC




レジンコンクリート製ボックス

(株)ダイモン

空気弁・消火栓室材 角型 内径 440×330

| 種類 | 品番 | 価格(円) | 数量 | | | | | | 重量 (kg) | |
|------------|--------|--------|------------|--------|--------|---------|---------|---------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | | 1100 |
| 鉄蓋 | SYEBCC | 57,700 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 53.7 |
| 上部壁 | C-A20 | 15,700 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 22.0 |
| 中部壁 | C-B10 | 7,100 | | 1 | | 1 | | 1 | | 10.1 |
| | C-B20 | 10,300 | | | | | 1 | 1 | 2 | 16.8 |
| 下部壁 | C-C20 | 10,100 | 1 | 1 | | | | | | 17.5 |
| | C-C40 | 17,400 | | | 1 | 1 | 1 | 1 | 1 | 29.4 |
| 底板 | C-SS | 5,800 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 46.0 |
| 組み合わせ金額(円) | | | 89,300 | 96,400 | 96,600 | 103,700 | 106,900 | 114,000 | 117,200 | |


SYEBCC



空気弁・消火栓室材 角型 内径 550×350



| 種類 | 品番 | 価格(円) | 数量 | | | | | | 重量 (kg) | |
|------------|--------|--------|------------|---------|---------|---------|---------|---------|------------|------|
| | | | 土被り 製品高 | 600 | 700 | 800 | 900 | 1000 | | 1100 |
| 鉄蓋 | SYE1BC | 66,600 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 57.8 |
| 上部壁 | D-A20 | 24,900 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 22.0 |
| 中部壁 | D-B10 | 8,600 | | 1 | | 1 | | 1 | | 10.1 |
| | D-B20 | 14,800 | | | | | 1 | 1 | 2 | 16.8 |
| 下部壁 | D-C20 | 14,100 | 1 | 1 | | | | | | 17.5 |
| | D-C40 | 23,100 | | | 1 | 1 | 1 | 1 | 1 | 29.4 |
| 底板 | DE-SS | 7,300 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 46.0 |
| 組み合わせ金額(円) | | | 112,900 | 121,500 | 121,900 | 130,500 | 136,700 | 145,300 | 151,500 | |

SYE1BC



高さ傾斜調整柵(鋳鉄製)

| 種類 | 品番 | 価格(円) | H | | R | | 重量 (kg) |
|-------|-------------|--------|------|------|------|------|------------|
| | | | 最小高さ | 最大高さ | 最小傾斜 | 最大傾斜 | |
| | | | (mm) | | (%) | | |
| φ 250 | AD25ANZ15K7 | 14,500 | 150 | 200 | 0 | 7 | 20.7 |
| φ 350 | AD35ANZ15K7 | 21,000 | 150 | 200 | 0 | 7 | 28.6 |
| φ 500 | AD50ANZ20K7 | 39,500 | 200 | 250 | 0 | 7 | 61.7 |
| φ 600 | AD60ANZ20K7 | 46,000 | 200 | 250 | 0 | 7 | 72.1 |



- ★本製品(上部柵)のみで高さ及び傾斜を調整出来る為、調整リング、無収縮モルタルが不要。
- ★将来的に修繕又は再舗装の場合、再調整が可能。
- ★レジンコンクリート製ボックスと互換性あり。