

27. タブチ給水材料

サドル分水栓

日本水道協会形・サドル付分水栓/JWWA B-117 A形 (ボール式)					T C B形・サドル分水栓 (ボール式)				
管 種	石綿管用	鋳鉄管用	ビニル管 鋼管用	V D管用	管 種	鋳鉄管 石綿管兼用	鋳鉄管用	ビニル管 鋼管用	ポリエチレン管用
品 番	N X	※N X D	※N X V S	※N X V D	品 番	B X	B X C	B X V	※B X P
									
40 X 13			(*) 18,240		30 X 13			18,860	
20			21,190	21,920	20			20,060	
25			24,560	25,600	40 X 13			14,750	14,200
50 X 13			(*) 18,600		20			17,140	16,040
20			21,570	22,480	25				
25			26,160	27,630	50 X 13	15,120		15,480	14,550
75 X 13		20,070	(*) 19,530		20	16,780		19,160	16,580
20	23,040	23,040	22,480		25			23,040	20,450
25	27,820	27,820	27,270		75 X 13			16,780	
30		55,060	55,610		20	19,530		20,270	
40		65,360	64,620		25	23,400		24,130	
50		79,340	78,410		30	49,350		51,920	
100 X 13		21,020	(*) 21,190		40	59,290		61,860	
20	23,950	23,950	24,130		50		73,090	75,110	
25	28,730	28,730	28,730		100 X 20	20,450		22,100	
30		57,260	58,370		25	24,130		25,970	
40		66,820	67,360		30	51,920		54,120	
50		80,990	79,520		40	61,860		64,070	
*125 X 13			23,040		50	75,650		77,140	
20		24,680	25,600		125 X 13	18,600			
25		28,550	28,730		20	22,100			
30		61,500	62,590		25	25,970			
40		71,050	74,010		30	55,610			
50		83,750	85,770		40	65,540			
150 X 13	24,130	24,130	(*) 23,210		50	79,340			
20	27,060	27,060	26,330		150 X 20	23,400		25,970	
25	31,680	31,680	29,650		25	27,270		29,650	
30		65,360	66,820			石綿管用 B X A			
40		74,180	75,110		150 X 30	49,450	56,870		
50		86,890	88,540		40		66,820	67,570	
	N X A				50	80,450	80,450	80,820	
200 X 13	36,460	36,460	(*) 35,740		200 X 13			74,730	
20	39,400	39,400	(*) 38,120		20		33,140	78,410	
25	44,020	44,020	(*) 41,430		25		37,200	82,290	
30		73,090	(*) 79,520		30		62,960	86,520	
40		82,640	(*) 88,900		40	72,890	72,890		
50		96,440	(*) 103,260		50	86,700	86,700	108,050	
250 X 13	※ 41,240				250 X 20	43,270	43,270		
20	44,180	44,180			25		47,130		
25	42,430	48,800			30	65,620	75,470		
30		86,090			40		85,400		
40		95,250			50	99,220	99,220		
50		108,460			300 X 20		49,890		
300 X 13		44,920			25		53,580		
20	47,860	47,860			30	89,830	89,830		
25	52,480	52,480			40		99,770		
30		97,640			50	113,580	113,580		
40		106,380			350 X 20		69,590		
50		118,980			25		73,090		
350 X 13		50,460			30		110,070		
20		53,390			40		120,200		
25		57,990			50		133,810		
30		111,260			400 X 13		78,960		
40		119,820			20		80,450		
50		132,430			25		84,310		
					30		99,400		
					40		108,420		
					50		121,850		
					450 X 20		90,000		
					25		93,880		
					30		106,210		
					40		116,150		
					50		129,760		

※JWWA B 1 1 7 規格品

(*)分岐口径φ13はビニル管用、本管径φ200は鋼管用が規格該当。(実使用は兼用可能です。)

* 本管125は、準規格品

◆N X、N X Aは日本水道協会参考規格品


※JWWA B-1 3 6 規格品

水道配水用ポリエチレン管用 サドル分水栓（ボール式） PTC規格	
管 種	配水用ポリエチレン管用
品 番	B X H P - I K
	
50 X 13	22,420
20	24,500
25	26,520
75 X 13	24,740
20	26,330
25	28,000
30	55,960
40	66,100
50	79,520
100 X 13	27,210
20	28,180
25	30,390
30	57,080
40	67,360
50	80,450
150 X 13	28,380
20	29,300
25	32,410
30	61,500
40	72,890
50	83,750
200 X 20	69,950
25	72,710
30	86,520
40	94,240
50	108,050

※20, 25：平行分岐形あり（品番末尾に-Pを付加）
価格は同一。200Aは除く。



品 名	補修バンド PE・VP・GP兼用
	
品 番	PR-PE・VP・GP
13	8,490
20	9,930
25	13,780
30	16,470
40	21,640
50	24,800

止水栓部品

品 名	ナット					ソケット		ソケット用パッキン	
	LPナット	GPナット	VP ナット	GP・VP ナット	GP・CP ナット	LPソケット	GPソケット 管端防食コア対応		
									
品 番	LPN	GP N	VP N	GV N	GC N	LP K	GPK-C	UVP	UVP (金門)
13	490	490				560	1,440	70	
16								90	
20	660				660	920	1,750	90	
25	1,090	1,090	1,090			1,400	2,240	110	120
30	1,960	1,960	1,960				3,550	120	
40	2,900			2,900			4,120	140	
50	4,130			4,130			5,510	210	
金門ネジ仕様（品番末尾に-Kを付加）									
13	490	490							
20	660	710							
25	1,090	1,090							
40	2,900			3,040					

甲型止水栓

(株)タブチ







品名・仕様	協会形キー式	キャップ式	ハンドル式				開閉栓防止式
			T形	丸形樹脂	蝶形	丸形鋳物	
							
品番	SAK	SAC	SAT	SAP	SAB	SAM	SAS
13	4,280	4,660	4,660	4,660	4,660		
20	6,920	7,380	7,380	7,380	7,380	8,690	8,810
25	9,870	10,370	10,370	10,370	10,370	11,680	11,770
30	21,480	22,000	20,670	23,530		23,280	
40	27,210	27,730	24,020	27,730		29,040	
50	41,300	41,830		41,570		43,140	

青銅製仕切弁 ロング





TGBM-6HF
51,120
69,330
83,610

メータ直結伸縮止水栓







鹿児島市型

品名・仕様	キー式	キャップ式	ハンドル式			ボール伸縮止水栓(鹿児島市型)		逆止弁(鹿児島市型)	
			T形	丸形樹脂	蝶形	逆止弁付	逆止弁無し	ラックソケット	単式逆止弁
									
品番	SEK	SEC	SET	SEP	SEB	☆BLF-S	BEF	LKMN-L	LSMN
13	6,580	☆ 6,990	6,990	☆ 6,990	☆ 6,990	12,700	8,470	3,710	☆ 6,210
20	10,690	☆ 11,070	11,070	☆ 11,070	☆ 11,070	17,280	13,490	9,810	☆ 8,470
25	15,600	☆ 15,990	15,990	☆ 15,990	☆ 15,990	25,470	18,540	13,020	☆ 11,070
20 X 13	10,690	☆ 11,070	11,070	☆ 11,070	☆ 11,070	17,280	13,490		
25 X 13	15,600		15,990	15,990	15,990	24,330	18,540		
25 X 20	16,120		16,510	☆ 16,510	16,510	22,510	19,050		
30				35,840					☆ 25,680
40		44,430		☆ 44,430					☆ 31,540
50				69,250					41,910

ボール式メータ直結伸縮止水栓

品名・仕様	キャップ式	ハンドル式			開閉栓防止付	品名・仕様	丸形鋳物ハンドル式	
		丸形樹脂	蝶形	ツマミ形樹脂			金門ネジ	
								
品番	BEC	BEP	☆BEB	BER	BES	品番	BEM	BEM-K
13	8,470	8,470	8,470	☆ 8,470	☆ 11,070	30	43,140	48,470
20	13,490	13,490	13,490	☆ 13,490	☆ 14,810	40	59,060	59,060
25	18,540	18,540	18,540	☆ 18,540	19,830	50	91,420	
20 X 13		13,490	13,490	☆ 13,490	14,810			
25 X 13			18,540					
25 X 20			19,050	19,050	20,360			

L 止水栓 (逆流防止弁内蔵ボール式メータ直結伸縮止水栓)

品名・仕様	キャップ式	ハンドル式				開閉栓防止式	丸形鋳物ハンドル式		
		ツマミ形樹脂		蝶形			金門ネジ	フランジ形	
			SUSボール						
									
品番	BLC	☆BLR	BLR-Y	☆BLB	BLS	BLM	BLM-K	BLFM	
13	11,530	11,530	13,370	11,530	13,630				
20	16,290	16,290	19,620	16,290	18,010				
25	25,760	25,760	25,900	25,760	27,470				
20 X 13		16,290	19,120	16,290	18,010				
25 X 13			25,390	21,570	23,280				
25 X 20		21,830	25,640	21,830	23,530				
30						57,470			
40						78,370	78,370		
50						109,700		137,130	

☆：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一。

耐震強化型SPジョイント（ポリエチレン管用金属継手）WSA規格適合 (株)タブチ

品 名	管端コア対応	鋼管用オネジ	鋼管用メネジ	分止水栓用			メータ用		回転式メータ用
		回転式			回転式	スーパーパッキン付	上水ネジ	金門ネジ	
									
品 番	SPJ-GM-C	SPJ-GMR-C	SPJ-GV	SPJ-N	SPJ-NR	SPJ-N-NSP	SPJ-M	SPJ-M-K	SPJ-MR
13	1,880	4,490	1,880	1,940	4,490	2,190	2,710	2,710	☆ 4,660
20	2,710	5,540	2,710	2,810	5,270	2,950	3,860	3,860	☆ 6,480
25	3,580	7,890	3,580	3,710	7,890	4,120	5,200	5,200	☆ 9,660
30	6,770	13,090	6,770	7,220	16,250		10,620		☆ 17,010
40	8,790	17,010	8,790	9,550	20,180		13,980	13,980	☆ 22,220
50	13,900	22,510	13,900	13,900	27,470		21,480		31,380
13 X 20P				3,180			3,180	3,180	5,420
13 X 25P									8,640
20 X 13P	2,810				6,580		3,590	3,590	
20 X 25P							4,980	4,980	9,150
25 X 13P					6,850		4,480		
25 X 20P				3,710	7,630		4,810		
25 X 30P							8,800		
50 X 40P	10,690								

品 名	ソケット	チーズ	60° ベンド	60° ベンドロング	90° ベンド	90° メネジベンド	90° ベンドロング	銅鉛管用
								
品 番	SPJ-K	SPJ-T	SPJ-N60	SPJ-N60L	SPJ-N90	SPJ-N90-GV	SPJ-N90L	SPJ-CL
13	2,950	5,170	☆ 3,350	4,650	☆ 3,410	3,860	4,750	3,210
20	4,310	7,780	☆ 5,240	☆ 6,850	☆ 5,100	5,200	6,580	4,040
25	5,400	10,230	☆ 6,990	☆ 9,080	☆ 6,880	7,280	9,080	5,320
30	10,480	20,520	12,560		12,560			7,080
40	14,320	27,670	16,250		16,250	14,550		8,620
50	21,830	38,440	23,150		23,150			
13 X 20P			4,580	5,960	5,100	4,890	6,580	
20 X 13P			4,580					
25 X 20P					5,100			





20 X 13	3,670	6,390	品 名	エルボ	4 5° エルボ	座付水栓エルボ			座付水栓柱 エルボ
25 X 13	4,900	8,250					三止	コン柱用	
20	5,270	9,020							
30 X 13		15,600							
20	8,680	17,430							
25	9,290	17,570							
40 X 13		19,510	品 番	SPJ-E	SPJ-E45	SPJ-Z	SPJ-ZA	SPJ-ZB	SPJ-ZC
20	10,760	22,000	13	3,310	3,670	3,350	3,970	4,280	
25	11,410	23,100	20	4,960	5,800				
30	13,370	25,470	25	7,110	7,110				
50 X 13		28,470	30	12,850	14,260				
20	14,400	29,840	40	16,580	17,500				
25	15,320	30,110	50	25,900	24,780				
30	16,250	33,000	20 X 13P						3,970
40	17,630	34,540	20 X 20P						4,210

品 名	メネジチーズ	パイプエンド	オネジエルボ	メネジエルボ	ユニオンHI	ユニオンVPPナットTS	両回転式エルボオネジ
							
品 番	SPJ-GVT	SPJ-PE	SPJ-GME	SPJ-GVE	SPJ-UV-HI	SPJ-UVN-TS	SPJ-GMEWR
13	4,180	2,370	2,900	2,900	3,670	3,440	
20	5,860	2,960			5,190	4,750	
25		3,870			7,620	6,850	9,600
30		6,810			11,690	11,270	
40		8,890			15,460	14,680	21,230
50		13,110			22,600	20,930	29,940
20 X 13	5,420						

☆：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一
 SPJ-UV-HI：TSの場合はUV-TSとなり、価格はUV-HIと同一



エラスジョイント（ビニル管用伸縮式継手）

（株）タブチ



品 名	鋼管用オネジ 管端防食コア対応	鋼管用メネジ	鋼管用メネジ 管端コア入	メータ用	銅鉛管用	分止水栓用		VP×PP1種	座付水栓 エルボ
							スーパーパーパッキン付		
									
品 番	EGM-C	EGV	ECV	EM	ECL	EN	EN-NSP	EVSPJ-H	EJZ
13	2,320	2,320		☆ 3,110	3,710	2,450		3,700	3,850
20	3,250	3,250	3,550	☆ 4,310	4,890	3,560	3,770	4,880	
25	4,720	4,720		☆ 6,190		5,020	5,270	6,580	
30	7,800	7,800		11,020		8,950		12,590	
40	10,390	10,390		☆ 14,950		12,070	12,570	15,200	
50	16,010	16,010		22,330		17,860	18,520	22,510	
13 X 16V	3,440	3,440		☆ 4,190		3,590			
13 X 20V				4,210					
20 X 13V									

☆：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一。

まがった君（ビニル管用伸縮可とう式継手）

品 名	鋼管用オネジ	鋼管用メネジ	メータ用	分止水栓用	
					パッキン仕様
					
品 番	MJGM	MJGV	MJM	MJN	MJN-J
13	6,920		7,490		7,080
20	8,230	8,230	8,950	8,410	8,410
25	9,850		11,010	10,020	10,020
30	12,860		15,710		13,090
40	18,310		20,930		18,860
50	23,530		31,380		26,140

メタルスリーブ挿入器

仕 様	フルセット 20～50	アタッチメントなし 20～25	20・25のみ
			
品 番	IS	IL	IS-1
	149,880	119,540	104,370




スリーブ（コア）





品 名	メタルスリーブ	パーフェクトスリーブ
		
品 番	IM	IP
13	1,050	
20	1,310	1,500
25	1,590	1,680
30	2,070	2,570
40	2,490	3,070
50	3,590	3,910



穿孔機

品名・仕様	電動穿孔機			
	プラネットA		イナズマ	
	標準セット	25セット	フルセット	本体
				
品 番	P A S		L T N - S	L T N - O
寸 法	20・25	25	20～50	20～50
	471,450	437,770	892,380	703,810

電動穿孔機部品		
品名・仕様	粉体管用ドリル	
	プラネットA用	イナズマ用
品 番	P A E	P M E
20	33,690	27,800
25	35,380	27,800

A型手動穿孔機			
品名・仕様	フルセット	VPドリルなし	AC・VPドリルセットなし
	AC・VPドリルセット		
			
品 番	D A S	D A C	D A L
寸 法	13～25	13～25	13～25
	148,210	112,030	60,630

M型手動穿孔機				
品名・仕様	フルセット	VPドリル・カッターなし	AC・VPドリルセット	AC・VPドリルセットなし
	AC・VPドリルセット			
				
品 番	D M S	D M C	D M M	D M L
寸 法	13～50	13～50	30～50のみ	13～50
	400,760	276,270	298,610	130,840

手動穿孔機部品			
品名・仕様	ACドリル	VPドリル	樹脂管用カッター
	鋳鉄管・石綿管兼用	ビニル管	配水ポリエチレン管・ポリエチレン管
			
品 番	D A D	D V D	P H V C
13	9,820	9,660	
20	16,850	11,800	23,590
25	24,500	14,870	25,270