





26. 鋼管・継手類

単位：円／本





口径	管長(m)	水配管用亜鉛メッキ鋼管		亜鉛メッキ鋼管	
		ネジ付	ネジ無し	ネジ付	ネジ無し
15A	4.0	11,120	9,980	10,810	9,560
20A	4.0	13,680	12,240	13,130	11,720
25A	4.0	19,050	16,970	18,540	16,450
32A	4.0	25,280	22,390	24,570	21,720
40A	4.0	29,020	25,710	28,140	24,920
50A	4.0	39,830	34,960	38,570	33,990
65A	4.0	56,870	49,240	55,170	47,710
80A	4.0	68,120	57,950	66,040	56,170
100A	4.0	97,860	80,310	95,080	77,810
125A	5.5	177,700	140,070	173,130	135,990
150A	5.5	235,410	190,890	229,310	185,470
200A	5.5	-	290,640	-	282,350
250A	5.5	-	別途御見積	-	別途御見積
300A	5.5	-	別途御見積	-	別途御見積





口径	管長(m)	VLP-VB	キーロンVD	キーロンVF(SGP-VS)	
				ネジ付	ネジ無し
15A	4.0	15,000	16,990	-	-
20A	4.0	15,900	19,340	-	17,280
25A	4.0	22,200	24,390	-	21,360
32A	4.0	29,600	31,630	-	27,170
40A	4.0	33,960	35,480	-	31,140
50A	4.0	46,420	48,090	42,220	37,610
65A	4.0	65,320	67,630	57,880	50,840
80A	4.0	76,820	79,130	67,100	58,360
100A	4.0	106,590	114,060	96,860	83,830
125A	4.0	136,730	154,270	-	109,240
150A	4.0	183,100	206,720	-	148,580
200A	5.5	-	-	-	オープン価格

鋼管継手類

口径	チーズ			90°エルボ			45°エルボ			ソケット		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304
15A	540	740	1,980	290	440	1,460	840	1,110	2,340	440	650	700
20A	650	850	2,840	410	570	2,080	890	1,190	3,500	530	740	1,010
25A	1,030	1,360	4,040	710	890	2,910	1,200	1,750	4,790	730	930	1,400
32A	1,760	2,290	6,180	1,270	1,640	4,420	1,860	2,650	6,340	1,030	1,480	1,940
40A	2,170	2,830	7,140	1,510	1,970	5,190	2,460	3,490	8,020	1,300	1,660	2,340
50A	3,350	4,480	10,900	2,220	2,990	7,730	3,650	4,870	11,700	1,960	2,540	3,510
65A	7,350	9,820	19,600	4,750	6,460	14,100	7,330	10,470	20,400	3,940	5,350	6,420
80A	10,690	14,660	25,800	7,010	10,140	20,300	10,520	13,910	25,100	5,860	7,020	8,390
100A	18,000	23,300	51,900	11,730	15,480	37,600	18,000	23,260	45,100	9,760	12,500	14,600
125A	53,460	56,280	-	37,770	39,570	-	56,450	56,640	-	20,870	24,120	-
150A	81,080	87,250	-	52,200	57,700	-	85,620	84,570	-	28,680	33,140	-

口径	六角ニップル			ユニオン			プラグ			キャップ		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SUS304	白	コート	SCS13A
15A	380	760	1,180	1,600	2,460	4,030	380	1,100	940	710	1,610	1,070
20A	440	800	1,850	1,940	3,020	5,250	480	1,130	1,280	810	1,870	1,370
25A	640	990	2,520	2,620	3,850	6,930	560	1,260	1,780	1,010	2,360	1,780
32A	940	1,500	3,380	3,750	4,980	8,900	850	1,760	2,200	1,450	3,160	2,380
40A	1,220	1,770	4,580	4,980	6,650	11,300	1,030	2,290	2,580	1,670	3,940	2,820
50A	1,770	2,540	6,560	7,390	9,050	15,800	1,500	3,010	3,810	2,240	5,420	4,090
65A	3,530	5,040	12,100	16,110	21,840	28,100	2,580	5,420	8,600	3,770	7,870	8,470
80A	5,490	7,870	18,000	20,550	29,160	41,000	3,940	7,390	10,700	5,280	10,000	11,400
100A	9,340	13,260	27,300	40,410	53,710	70,600	7,170	12,290	18,600	11,420	19,970	20,600
125A	25,060	27,970	-	94,530	104,040	-	21,770	27,320	-	25,950	36,480	-
150A	38,810	42,360	-	145,110	160,260	-	29,940	36,340	-	36,120	46,650	-

口径	クロス			サービスチーズ			ストリートエルボ			組フランジ		
												
	白	コート	SCS13A	白			白	コート	SCS13A	白	コート	
15A	2,240	4,120	4,700	2,100	-	-	720	1,890	2,750	4,380	5,350	-
20A	2,320	4,420	6,620	2,110	-	-	790	2,020	3,500	4,680	5,600	-
25A	3,650	6,890	10,200	2,170	-	-	1,270	2,740	4,710	4,980	6,720	-
32A	5,700	10,000	14,800	3,490	-	-	1,960	3,940	6,930	7,330	9,660	-
40A	7,330	13,750	16,000	4,100	-	-	2,610	4,910	8,840	7,880	10,000	-
50A	8,330	15,530	23,400	6,070	-	-	3,770	6,560	12,900	9,230	11,820	-
65A	18,440	32,730	-	15,300	-	-	8,150	14,750	-	16,810	22,920	-
80A	25,410	46,650	-	16,030	-	-	12,770	22,920	-	18,710	25,050	-
100A	38,120	71,320	-	-	-	-	23,950	-	-	27,290	37,140	-
125A	98,510	140,000	-	-	-	-	-	-	-	57,910	59,390	-
150A	-	-	-	-	-	-	-	-	-	67,820	78,210	-

口径	径違いチーズ			径違い90°エルボ			径違いソケット			ブッシング		
												
	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A	白	コート	SCS13A
20X15	890	1,220	3,760	630	990	3,030	800	1,020	2,620	660	1,300	1,380
25X20~15	1,220	1,630	5,630	1,100	1,500	4,200	940	1,300	4,120	890	1,610	2,180
32X25~20	2,400	2,860	8,350	2,100	2,690	6,030	1,420	1,870	6,370	1,550	2,340	3,030
32X15	3,130	3,470	8,350	2,750	3,070	6,030	1,780	2,110	6,370	2,000	2,690	3,030
40X32~25	3,050	3,940	9,560	2,520	3,470	7,680	1,830	2,410	8,720	1,860	2,900	3,910
40X20~15	4,040	4,420	9,560	3,240	4,120	7,680	2,370	2,770	8,720	2,400	3,470	3,910
50X40~32	4,760	5,890	14,900	4,100	5,420	10,900	2,580	3,240	13,000	2,560	4,120	5,690
50X25~15	6,340	6,720	14,900	5,290	6,380	10,900	3,240	3,630	13,000	3,280	4,780	5,690
65X50~40	10,790	14,750	-	10,690	14,410	-	4,840	7,030	-	4,400	7,220	11,000
65X32~15	14,280	15,880	-	14,230	17,050	-	6,440	8,220	-	5,290	8,220	11,000
80X65~50	14,910	18,830	-	14,470	18,490	-	7,480	9,660	-	6,010	10,320	15,200
80X40~15	19,660	21,460	-	19,010	20,940	-	9,600	11,110	-	7,970	11,820	15,200
100X80~65	25,560	31,420	-	25,270	30,470	-	12,420	16,200	-	11,560	17,050	30,100
100X50~15	33,520	36,000	-	32,850	35,380	-	15,720	18,680	-	14,870	19,480	30,100
125X100~80	76,970	75,250	-	70,040	75,250	-	28,330	31,420	-	25,950	30,750	-
125X65~15	90,490	86,850	-	82,180	-	-	32,680	36,480	-	29,940	35,350	-
150X125~100	115,990	112,880	-	105,760	121,760	-	38,810	44,020	-	36,120	44,520	-
150X80~15	134,440	129,890	-	122,100	139,360	-	45,000	50,700	-	41,200	51,220	-

リケン LAカップリング



(株)リケン

口径	ソケット		特寸ソケット		離脱付ソケット		離脱付ソケット		エルボ		離脱付エルボ	
	LA S		LA SSS		HI-LA S		HI-LA SSS		LA L		HI-LA L	
	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート	メッキ	コート
15A	1,290	1,790	1,790	2,070	2,350	2,650	2,710	2,960	2,000	2,180	3,000	3,150
20A	1,680	2,340	2,420	2,790	2,900	3,360	3,480	3,750	2,330	2,630	3,490	3,910
25A	2,320	3,160	3,300	4,180	3,820	4,470	4,680	4,990	3,480	3,960	4,950	5,350
32A	2,870	3,920	4,040	4,680	4,840	5,530	5,560	6,140	4,400	4,990	6,040	6,560
40A	3,480	4,780	5,220	6,140	5,410	6,560	7,060	7,880	5,600	6,420	7,480	8,270
50A	4,780	6,560	6,590	7,060	7,330	8,780	8,770	9,840	8,370	9,710	10,650	11,870
65A	10,810	11,850	-	-	15,550	18,090	-	-	14,760	17,510	20,620	24,110
80A	14,310	15,240	-	-	19,360	23,000	-	-	19,990	23,780	26,800	32,200

PQWK継手（露出配管用コア内蔵継手）

サイズ	エルボ	45エルボ	チーズ	ソケット	ニップル	ユニオン	プラグ	クロスオーバー	5Kフランジ	10Kフランジ
	L	L45	T	S	NI	UI	P	OS	5KF	10KF
15	640	1,170	980	740	660	2,110	850	-	-	-
20	740	1,270	1,120	860	730	2,700	880	6,020	3,080	3,640
25	1,180	1,730	1,780	1,190	970	3,390	970	-	4,310	4,890
32	1,950	2,430	2,680	1,640	1,360	4,420	1,330	-	5,620	6,210
40	2,380	3,240	3,300	1,970	1,680	5,820	1,730	-	5,940	6,610
50	3,440	4,420	4,660	2,870	2,270	7,680	2,240	-	6,860	8,290
65	6,830	9,410	9,890	5,700	4,220	18,050	3,940	-	10,170	11,820
80	10,620	12,770	14,380	7,480	6,290	24,230	5,320	-	12,530	13,480
100	16,390	21,020	23,200	13,270	10,830	38,800	9,070	-	15,820	17,250
125	42,920	-	58,420	25,430	18,440	-	20,040	-	29,630	31,510
150	62,480	-	90,630	34,800	26,410	-	26,410	-	33,280	35,300

サイズ	径違いエルボ	径違いチーズ	径違いソケット	サイズ	径違いエルボ	径違いチーズ	径違いソケット
	RL	RT	RS		RL	RT	RS
20 X 15	1,060	1,270	1,110	65 X 50~40	12,790	13,740	6,600
20 X 15 X 15	-	-	-	80 X 20~15	-	21,090	10,600
25 X 20~15	1,560	1,830	1,370	80 X 32~25	-	21,090	-
32 X 15	-	3,530	-	80 X 40	19,370	21,090	10,600
32 X 25~20	2,500	2,960	1,790	80 X 65~50	16,320	17,770	8,920
40 X 20~15	4,120	4,420	2,770	100 X 32~15	-	34,680	-
40 X 32~25	3,470	3,750	2,340	100 X 40	-	34,680	18,510
50 X 15	-	6,190	-	100 X 50	33,530	34,680	18,510
50 X 25~20	6,190	6,190	3,650	100 X 80~65	28,310	29,230	15,560
50 X 40~32	5,220	5,220	3,090	125 X 100	-	-	29,980
65 X 15	-	16,320	-	150 X 100	-	114,480	42,170
65 X 32~20	-	16,320	7,860	150 X 125	-	-	42,170



●器具(異種金属)接続用PQWK継手

●器具接続用(坊食ねじ付)PQWK継手(A型)

サイズ	おすアダプター		めすアダプター			エルボ	チーズ	ソケット	座付きエルボ
	エルボ	ソケット	エルボ	チーズ	ソケット				
	ZML	ZMS	ZFL	ZFT	ZFS				
15	5,710	5,830	5,280	6,610	5,400	1,030	-	1,100	-
20	6,530	6,650	6,070	8,670	6,210	1,190	1,510	1,190	2,440
25	9,350	9,450	8,320	-	7,730	1,770	-	1,670	-
32	13,660	13,100	11,810	-	11,060	3,330	-	2,780	-
40	16,920	16,310	17,220	-	16,140	4,040	-	3,410	-
50	20,520	19,130	20,520	-	18,250	5,840	-	4,910	-
サイズ	台付エルボ	径違いソケット	径違いエルボ	径違いチーズ	径違いソケット	径違いエルボ	径違いチーズ	径違いソケット	座付きエルボ
	ADRL	ZMRS	ZFRL	ZFRT	ZFRS	ARL	ART	ARS	ATRL
20 X 15	3,660	7,410	5,000	7,450	5,290	1,630	1,940	1,730	2,220
25 X 15	-	-	-	7,550	-	2,050	2,620	1,770	-
25 X 20	-	-	-	8,900	-	2,290	2,700	2,040	-

●器具(異種金属)接続用PQWK継手

サイズ	給水栓用(ZC)				
	エルボ	チーズ	ソケット	座付きエルボ	台付エルボ
	ZCL	ZCT	ZCS	ZCTL	ZCDL
15	2,710	-	2,890	-	-
20	3,130	3,990	3,130	5,520	-
25	4,720	-	4,400	-	-
サイズ	径違いエルボ	径違いチーズ	径違いソケット	-	-
	ZCRL	ZCRT	ZCRS	-	-
20 X 15	4,400	5,120	4,100	5,080	6,160
25 X 15	6,030	5,950	-	-	-
25 X 20	6,060	6,030	5,400	-	-

●器具接続用PQWK継手(青銅製)

サイズ	めすおす エルボ	めすおす ソケット	ニップル
	BSL	BX	BNI
15	-	2,340	2,770
20	5,750	2,630	3,390
25	-	3,820	5,060
32	-	10,830	6,700
40	-	12,930	8,470
50	-	17,990	14,090
65	-	-	16,080
80	-	-	22,140

●青銅製ブッシング

サイズ	BBU
20 X 10	3,290
20 X 15	2,690
20	2,690
25 X 20~10	4,460
32 X 20~10	6,060
40 X 20~10	7,280
50 X 20~10	8,670

PCPQK継手(埋設配管用コア内蔵継手)

サイズ	エルボ	45°エルボ	チーズ	ソケット	ニップル	プラグ
	L	L45	T	S	NI	P
15	1,100	1,820	1,780	1,360	1,200	1,140
20	1,280	1,940	2,070	1,450	1,300	1,280
25	2,000	2,510	3,200	2,080	1,640	1,450
32	3,390	5,520	4,800	2,870	2,430	2,360
40	4,040	6,140	5,530	3,360	2,820	3,300
50	5,850	7,360	8,160	4,670	5,620	5,380
65	12,740	18,170	19,200	11,800	7,050	-
80	19,470	33,470	27,690	14,600	10,700	9,960
100	29,470	37,860	43,480	24,030	14,890	-

サイズ	径違いエルボ	径違いチーズ	径違いソケット
	RL	RT	RS
20 X 15	1,780	2,180	1,830
25 X 20~15	2,380	3,200	2,110
32 X 25~20	4,040	4,800	2,890
40 X 20	-	7,080	-
40 X 32~25	5,230	5,950	3,690
50 X 20	-	10,700	6,060
50 X 25	9,760	10,700	6,060
50 X 40~32	8,240	9,030	5,150
65 X 40	-	21,980	-
65 X 50	-	21,980	11,720
80 X 40~32	-	41,250	-
80 X 65~50	-	34,770	15,890
100 X 50~32	-	60,720	-
100 X 65	-	51,130	-
100 X 80	-	51,130	26,500

●埋設配管用PCPQK継手(器具接続用絶縁型)

サイズ	おすアダプター		めすアダプター	
	エルボ	ソケット	エルボ	ソケット
	ML	MS	FL	FS
15	6,560	6,820	5,960	6,240
20	7,420	7,680	6,720	6,960
25	10,750	10,960	9,230	10,340
32	16,170	15,200	14,260	13,070
40	19,790	18,640	17,060	17,640
50	24,490	21,910	23,400	20,620
サイズ	給水栓用絶縁継手		樹脂ねじ型	
	エルボ	ソケット	エルボ	ソケット
	ZCL	ZCS	AL	AS
15	-	-	2,180	2,380
20	6,390	7,220	2,340	2,590
25	-	-	3,690	3,770
32	-	-	6,400	4,760
40	-	-	7,450	5,540
50	-	-	10,000	7,620
20 X 15	8,630	8,900	4,370	3,270

鋼管溶接用継手(亜鉛メッキ) JIS-B2311

古林工業(株)

呼び径(A)	エルボ90°		エルボ45°		エルボ180°		チーズ
	ロング	ショート	ロング	ショート	ロング	ショート	
15	1,820	-	1,820	-	5,930	-	3,860
20	1,820	-	1,820	-	5,930	-	3,860
25	1,820	2,120	1,820	-	5,930	7,230	4,080
32	2,110	2,450	2,110	-	6,770	7,310	4,490
40	2,110	2,450	2,110	2,450	6,770	7,310	4,490
50	3,500	3,330	3,370	3,330	10,060	11,680	6,470
65	5,890	5,800	5,430	4,550	16,190	18,770	10,180
80	7,420	6,950	6,770	5,870	22,060	20,210	12,860
100	12,680	11,530	11,530	10,090	40,310	37,610	18,750
125	19,030	17,800	17,350	14,980	60,900	56,290	26,320
150	31,190	27,540	28,400	22,450	102,230	92,870	39,430
200	63,530	56,010	57,840	45,070	208,300	189,790	73,920
250	111,760	98,480	101,750	81,400	-	-	128,750
300	167,070	147,300	152,130	120,100	-	-	201,170
350	276,960	246,840	252,140	222,980	-	-	525,030

呼び径(A)	異形チーズ TR	呼び径(A)	レジューサー		呼び径(A)	レジューサー	
			偏芯	同芯		偏芯	同芯
20 X 15	4,250	20 X 15	3,660	2,300	150 X 125~100	23,110	15,560
25 X 20~15	4,490	25 X 20~15	3,660	2,300	200 X 100	73,340	38,640
32 X 25~15	5,210	32 X 15	7,330	3,940	200 X 150~125	38,640	27,030
40 X 15	5,750	32 X 25~20	3,740	2,350	250 X 100	140,160	73,800
40 X 32~20	5,210	40 X 15	8,790	4,720	250 X 125	116,790	61,500
50 X 20~15	7,800	40 X 20	7,330	3,940	250 X 200~150	61,590	41,450
50 X 40~25	7,120	40 X 32~25	3,740	2,350	300 X 150	180,830	95,210
65 X 25	12,290	50 X 20	10,010	5,290	300 X 250~200	95,310	66,500
65 X 50~32	11,190	50 X 25	8,340	4,410	350 X 150	-	281,430
80 X 32~25	15,530	50 X 40~32	4,400	2,810	350 X 200	445,490	234,520
80 X 65~40	14,140	65 X 25	13,970	7,390	350 X 300~250	234,690	163,620
100 X 50~25	22,710	65 X 32	11,640	6,150			
100 X 80~65	20,690	65 X 50~40	6,150	3,860			
125 X 65~40	31,800	80 X 25	-	8,920			
125 X 100~80	28,930	80 X 32	16,780	8,920			
150 X 80~50	47,730	80 X 40	13,980	7,420			
150 X 125~100	43,360	80 X 65~50	7,420	4,660			
200 X 80	89,470	100 X 40	25,220	13,280			
200 X 150~100	81,330	100 X 65~50	21,020	11,070			
250 X 100	155,770	100 X 80	11,130	6,960			
250 X 200~125	141,600	125 X 50	37,660	19,820			
300 X 125	244,460	125 X 80~65	31,380	16,510			
300 X 250~150	221,300	125 X 100	16,510	11,180			
350 X 150	635,300	150 X 65	52,420	27,650			
350 X 300~200	577,500	150 X 80	43,680	23,040			

フランジ

上水フランジ(RF)

単位:円

口径	ねじ込み			溶接		溶接閉止	
	黒	白	コート	黒	白	黒	白
80	7,180	8,950	11,370	4,290	5,590	6,070	8,130
100	8,440	10,160	11,550	5,060	6,490	10,480	14,080
125	10,800	14,080	19,220	6,380	8,660	14,150	18,990
150	14,310	17,150	31,380	8,130	10,820	19,460	26,090
200	25,290	30,310	38,110	12,370	16,410	39,180	52,560
250	-	-	-	15,780	21,520	56,450	75,720
300	-	-	-	23,200	30,530	68,030	91,280
350	-	-	-	39,200	49,380	-	-
400	-	-	-	47,160	57,340	-	-
500	-	-	-	70,840	84,130	-	-

JISフランジ

単位:円

口径	ねじ込み黒		ねじ込み白		ねじ込みコート	
	5K	10K	5K	10K	5K	10K
15	1,210	1,540	1,550	2,040	2,400	2,900
20	1,340	1,660	1,710	2,220	2,400	2,900
25	1,480	2,410	2,080	3,150	2,710	4,310
32	1,860	2,830	2,590	3,880	4,100	5,710
40	2,040	3,020	2,710	4,320	4,410	6,250
50	2,260	3,800	3,250	5,330	5,520	7,450
65	3,680	4,680	5,270	7,210	7,110	9,760
80	5,140	5,700	7,140	8,350	11,270	12,130
100	6,040	6,800	8,350	10,030	12,750	14,280
125	7,790	10,470	11,130	14,960	16,410	22,620
150	10,030	13,360	15,550	19,450	21,470	27,970

JISフランジ (FF)

単位:円

口径	溶接黒		溶接白		溶接閉止白	
	5K	10K	5K	10K	5K	10K
15	660	1,200	780	1,410	830	1,500
20	780	1,540	940	1,810	1,060	1,970
25	980	2,390	1,170	2,810	1,350	3,050
32	1,720	3,120	2,050	3,700	2,350	4,150
40	1,780	3,300	2,130	3,900	2,580	4,470
50	2,300	3,960	2,760	4,680	3,570	5,570
65	3,210	5,120	3,580	6,120	4,800	7,640
80	4,270	5,120	4,760	6,120	6,400	8,210
100	4,670	6,160	5,670	7,360	8,770	10,770
125	6,350	9,390	7,730	11,230	12,370	16,930
150	8,720	12,500	10,600	14,960	17,910	23,810
200	12,390	14,810	15,060	17,710	29,000	32,770
250	18,640	23,420	22,660	28,000	46,020	53,270
300	20,240	25,000	24,620	29,900	58,000	65,540
350	29,450	34,290	35,450	40,620	83,030	91,380
400	35,550	48,800	42,790	57,820	104,920	129,010
450	45,010	61,630	54,190	73,020	132,590	169,380