









## 27. タブチ給水材料

## サドル分水栓

日本水道協会形・サドル付分水栓/JWWA B-117 A形 (ボール式)					TCB形・サドル分水栓 (ボール式)				
管種	石綿管用	铸铁管用	ビニル管 鋼管用	VD管用	管種	铸铁管 石綿管兼用	铸铁管用	ビニル管 鋼管用	ポリエチレン管用
品番	N X	※N X D	※N X V S	※N X V D	品番	B X	B X C	B X V	※B X P
									
40 X 13			(*) 20,980		30 X 13		350~	21,690	
20			24,370	25,210	20			23,070	
25			28,250	29,440	40 X 13			16,970	16,330
50 X 13			(*) 21,390		20			19,720	18,450
20			24,810	25,860	25				
25			30,090	31,780	50 X 13	17,390		17,810	16,740
75 X 13		23,090	(*) 22,460		20	19,300		22,040	19,070
20	26,500	26,500	25,860		25			26,500	23,520
25	32,000	32,000	31,370		75 X 13			19,300	
30		63,320	63,960		20	22,460		23,320	
40		75,170	74,320		25	26,910		27,750	
50		91,250	90,180		30	56,760		59,710	
100 X 13		24,180	(*) 24,370		40	68,190		71,140	
20	27,550	27,550	27,750		50		84,060	86,380	
25	33,040	33,040	33,040		100 X 20	23,520		25,420	
30		65,850	67,130		25	27,750		29,870	
40		76,850	77,470		30	59,710		62,240	
50		93,140	91,450		40	71,140		73,690	
*125 X 13			26,500		50	87,000		88,710	
20		28,390	29,440		125 X 13	21,390			
25		32,840	33,040		20	25,420			
30		70,730	71,980		25	29,870			
40		81,710	85,120		30	63,960			
50		96,320	98,640		40	75,380			
150 X 13	27,750	27,750	(*) 26,700		50	91,250			
20	31,120	31,120	30,280		150 X 20	26,910		29,870	
25	36,440	36,440	34,100		25	31,370		34,100	
30		75,170	76,850			石綿管用 B X A			
40		85,310	86,380						
50		99,930	101,830		150 X 30		65,410		
	N X A				40		76,850	77,710	
200 X 13	41,930	41,930	(*) 41,110		50	92,520	92,520	92,950	
20	45,310	45,310	(*) 43,840		200 X 13			85,940	
25	50,630	50,630	(*) 47,650		20		38,120	90,180	
30		84,060	(*) 91,450		25		42,780	94,640	
40		95,040	(*) 102,240		30		72,410	99,500	
50		110,910	(*) 118,750		40	83,830	83,830		
250 X 13	※ 47,430				50	99,710	99,710	124,260	
20	50,810	50,810			250 X 20	49,770	49,770		
25		56,120			25		54,200		
30		99,010			30		86,800		
40		109,540			40		98,210		
50		124,730			50	114,110	114,110		
300 X 13		51,660			300 X 20		57,380		
20	55,040	55,040			25		61,620		
25	60,360	60,360			30	103,310	103,310		
30		112,290			40		114,740		
40		122,340			50	130,620	130,620		
50		136,830			350 X 20		80,030		
350 X 13		58,030			25		84,060		
20		61,400			30		126,590		
25		66,690			40		138,230		
30		127,950			50		153,890		
40		137,800			400 X 13		90,810		
50		152,300			20		92,520		
					25		96,960		
					30		114,310		
					40		124,690		
					50		140,130		
					450 X 20		103,500		
					25		107,970		
					30		122,150		
					40		133,580		
					50		149,230		


※JWWA B117 規格品


(\*)分岐口径Φ13はビニル管用、本管径Φ200は鋼管用が規格該当。(実使用は兼用可能です。)

\* 本管125は、準規格品

◆NX、NXAは日本水道協会参考規格品




※JWWA B-136 規格品

水道配水用ポリエチレン管用 サドル分水栓（ボール式） PTC規格	
管種	配水用ポリエチレン管用
品番	BXHP-IK
	
50 X 13	25,790
20	28,180
25	30,500
75 X 13	28,460
20	30,280
25	32,200
30	64,360
40	76,020
50	91,450
100 X 13	31,300
20	32,410
25	34,950
30	65,650
40	77,470
50	92,520
150 X 13	32,640
20	33,700
25	37,280
30	70,730
40	83,830
50	96,320
200 X 20	80,450
25	83,620
30	99,500
40	108,380
50	124,260

品名	補修バンド PE・VP・GP兼用
	
品番	PR-PE・VP・GP
13	9,770
20	11,420
25	15,850
30	18,950
40	24,890
50	28,520

※20, 25：平行分岐形あり（品番末尾に-Pを付加）  
価格は同一。200Aは除く。

## 止水栓部品

品名	ナット					ソケット		ソケット用パッキン	
	LPナット	GPナット	VP ナット	GP・VP ナット	GP・CP ナット	LPソケット	GPソケット 管端防食コア対応		
									
品番	LPN	GPN	VPN	GVN	GCN	LPK	GPK-C	UVP	UVP(金門)
13	570	570				650	1,660	90	
16								110	
20	760				760	1,060	2,020	110	
25	1,260	1,260	1,260			1,610	2,580	130	140
30	2,260	2,260	2,260				4,090	140	
40	3,340			3,340			4,740	170	
50	4,750			4,750			6,340	250	
金門ネジ仕様（品番末尾に-Kを付加）									
13	570	570							
20	760	820							
25	1,260	1,260							
40	3,340			3,340					

甲型止水栓

(株)タブチ

品名・仕様	協会形キー式	キャップ式	ハンドル式				開閉栓防止式
			T形	丸形樹脂	蝶形	丸形鋳物	
品番	SAK	SAC	SAT	SAP	SAB	SAM	SAS
13	4,930	5,360	5,360	5,360	5,360		
20	7,960	8,490	8,490	8,490	8,490	10,000	10,140
25	11,360	11,930	11,930	11,930	11,930	13,440	13,540
30	24,710	25,300	23,780	27,060		26,780	
40	31,300	31,890	27,630	31,890		33,400	
50	47,500	48,110		47,810		49,620	

青銅製仕切弁 ロング
TGBM-6HF
58,790
79,730
96,160

メータ直結伸縮止水栓

鹿児島市型

品名・仕様	キー式	キャップ式	ハンドル式			ボール伸縮止水栓(鹿児島市型)		逆止弁(鹿児島市型)	
			T形	丸形樹脂	蝶形	逆止弁付	逆止弁無し	ラックソケット	単式逆止弁
品番	SEK	SEC	SET	SEP	SEB	☆BLF-S	BEF	LKMN-L	LSMN
13	7,570	☆ 8,040	8,040	☆ 8,040	☆ 8,040	14,610	9,750	4,270	☆ 7,150
20	12,300	☆ 12,740	12,740	☆ 12,740	☆ 12,740	19,880	15,520	11,290	☆ 9,750
25	17,940	☆ 18,390	18,390	☆ 18,390	☆ 18,390	29,300	21,330	14,980	☆ 12,740
20 X 13	12,300	☆ 12,740	12,740	☆ 12,740	☆ 12,740	19,880	15,520		
25 X 13	17,940		18,390	18,390	18,390	27,980	21,330		
25 X 20	18,540		18,990	☆ 18,990	18,990	25,890	21,910		
30				41,220					☆ 29,540
40		51,100		☆ 51,100					☆ 36,280
50				79,640					48,200

ボール式メータ直結伸縮止水栓

品名・仕様	キャップ式	ハンドル式			開閉栓防止付	品名・仕様	丸形鋳物ハンドル式	
		丸形樹脂	蝶形	ツマミ形樹脂			品番	金門ネジ
品番	BEC	BEP	☆BEB	BER	BES	品番	BEM	BEM-K
13	9,750	9,750	9,750	☆ 9,750	☆ 12,740	30	49,620	49,640
20	15,520	15,520	15,520	☆ 15,520	☆ 17,040	40	67,920	67,920
25	21,330	21,330	21,330	☆ 21,330	22,810	50	105,140	
20 X 13		15,520	15,520	☆ 15,520	17,040			
25 X 13			21,330					
25 X 20			21,910	21,910				

L 止水栓 (逆流防止弁内蔵ボール式メータ直結伸縮止水栓)

品名・仕様	キャップ式	ハンドル式				開閉栓防止式	丸形鋳物ハンドル式		
		ツマミ形樹脂		蝶形	品番		金門ネジ	フランジ形	
			SUSボール						
品番	BLC	☆BLR	BLR-Y	☆BLB	BLS	BLM	BLM-K	BLFM	
13	13,260	13,260	15,380	13,260	15,680				
20	18,740	18,740	22,570	18,740	20,720				
25	29,630	29,630	29,790	29,630	31,600				
20 X 13		18,740	21,990	18,740	20,720				
25 X 13			29,200	24,810	26,780				
25 X 20		25,110	29,490	25,110	27,060				
30						66,100			
40						90,130	90,130		
50						126,160		157,700	

☆：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一。

耐震強化型SPジョイント (ポリエチレン管用金属継手) WSA規格適合 (株)タブチ

品名	管端コア対応 鋼管用オネジ		鋼管用メネジ	分止水栓用			メータ用		回転式メータ用
		回転式			回転式	スーパーバック付	上水ネジ	金門ネジ	
品番	SPJ-GM-C	SPJ-GMR-C	SPJ-GV	SPJ-N	SPJ-NR	SPJ-N-NSP	SPJ-M	SPJ-M-K	SPJ-MR
13	2,170	5,170	2,170	2,240	5,170	2,520	3,120	3,120	☆ 5,360
20	3,120	6,380	3,120	3,240	6,070	3,400	4,440	4,440	☆ 7,460
25	4,120	9,080	4,120	4,270	9,080	4,740	5,980	5,980	☆ 11,110
30	7,790	15,060	7,790	8,310	18,690	9,230	12,220		☆ 19,570
40	10,110	19,570	10,110	10,990	23,210	12,090	16,080	16,080	☆ 25,560
50	15,990	25,890	15,990	15,990	31,600	17,460	24,710		36,090
13 X 20P				3,660			3,660	3,660	6,240
13 X 25P									9,940
20 X 13P	3,240				7,570		4,130	4,130	6,240
20 X 25P							5,730	5,730	10,530
25 X 13P					7,880		5,160		
25 X 20P				4,270	8,780		5,540		
25 X 30P							10,120		
50 X 40P	12,300								

品名	ソケット	チーズ	60° ベンド	60° ベンドロング	90° ベンド	90° メネジベンド	90° ベンドロング	銅鉛管用
品番	SPJ-K	SPJ-T	SPJ-N60	SPJ-N60L	SPJ-N90	SPJ-N90-GV	SPJ-N90L	SPJ-CL
13	3,400	5,950	☆ 3,860	5,350	☆ 3,930	4,440	5,470	3,700
20	4,960	8,950	☆ 6,030	☆ 7,880	☆ 5,870	5,980	7,570	4,650
25	6,210	11,770	☆ 8,040	☆ 10,450	☆ 7,920	8,380	10,450	6,120
30	12,060	23,600	14,450		14,450			8,150
40	16,470	31,830	18,690		18,690	16,740		9,920
50	25,110	44,210	25,520		25,520			
13 X 20P			5,270	6,860	5,870	5,630	7,570	
20 X 13P			5,270					
25 X 20P					5,870			

品名	ソケット	チーズ	品名	エルボ	45° エルボ	座付水栓エルボ			座付水栓柱エルボ
							三止	コン柱用	
品番	SPJ-K	SPJ-T	品番	SPJ-E	SPJ-E45	SPJ-Z	SPJ-ZA	SPJ-ZB	SPJ-ZC
20 X 13	4,230	7,350	13	3,810	4,230	3,860	4,570	4,930	
25 X 13	5,640	9,490	20	5,710	6,670				
20	6,070	10,380	25	8,180	8,180				
30 X 13		17,940	30	14,780	16,400				
20	9,990	20,050	40	19,070	20,130				
25	10,690	20,210	50	29,790	28,500				
40 X 13		22,440	20 X 13P						4,570
20	12,380	25,300	20 X 20P						4,850
25	13,130	26,570							
30	15,380	29,300							
50 X 13		32,750							
20	16,560	34,320							
25	17,620	34,630							
30	18,690	37,950							
40	20,280	39,730							

品名	メネジチーズ	パイプエンド	オネジエルボ	メネジエルボ	ユニオンHI	ユニオンVPナットTS	両回転式エルボオネジ
品番	SPJ-GVT	SPJ-PE	SPJ-GME	SPJ-GVE	SPJ-UV-HI	SPJ-UVN-TS	SPJ-GMEWR
13	4,810	2,730	3,340	3,340	4,230	3,960	
20	6,740	3,410			5,970	5,470	
25		4,460			8,770	7,880	11,040
30		7,840			13,450	12,970	
40		10,230			17,780	16,890	24,420
50		15,080			25,990	24,070	34,440
20 X 13	6,240						

☆：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一  
 SPJ-UV-HI：TSの場合はUV-TSとなり、価格はUV-HIと同一

エラスジョイント（ビニル管用伸縮式継手）

(株)タブチ

品名	鋼管用オネジ 管端防食コア対応	鋼管用メネジ	鋼管用メネジ 管端コア入	メータ用	銅鉛管用	分止水栓用		VP×PP1種	座付水栓 エルボ
							スーパーパッキン付		
品番	EGM-C	EGV	ECV	EM	ECL	EN	EN-NSP	EVSPJ-H	EJZ
13	2,670	2,670		☆ 3,580	4,270	2,820		4,260	4,430
20	3,740	3,740	4,090	☆ 4,960	5,630	4,100	4,340	5,620	
25	5,430	5,430		☆ 7,120		5,780	6,070	7,570	
30	8,970	8,970		12,680		10,300		14,480	
40	11,950	11,950		☆ 17,200		13,890	14,460	17,480	
50	18,420	18,420		25,680		20,540	21,300	25,890	
13 X 16V	3,960	3,960		☆ 4,820		4,130			
13 X 20V				4,850					
20 X 13V									

☆：金門ネジ仕様有（品番末尾に-Kを付加）価格は同一。

まがった君（ビニル管用伸縮可とう式継手）

品名	鋼管用オネジ	鋼管用メネジ	メータ用	分止水栓用	
					パッキン仕様
品番	MJGM	MJGV	MJM	MJN	MJN-J
13	7,960		8,620		8,150
20	9,470	9,470	10,300	9,680	9,680
25	11,330		12,670	11,530	11,530
30	14,790		18,070		15,060
40	21,060		24,070		21,690
50	27,060		36,090		30,070

メタルスリーブ挿入器

仕様	フルセット 20~50	アタッチメントなし 20~50	20・25のみ
品番	IS	IL	IS-1
	164,870	131,500	114,810




スリーブ（コア）





品名	メタルスリーブ	パーフェクトスリーブ
品番	IM	IP
13	1,160	
20	1,450	1,650
25	1,750	1,850
30	2,280	2,830
40	2,740	3,380
50	3,950	4,310

## 穿孔機

品名・仕様	電動穿孔機			
	プラネットA		イナズマ	
	標準セット	25セット	フルセット	本体
				
品番	PAS		LTN-S	LTN-O
寸法	20・25	25	20～50	20～50
	518,600	481,550	981,620	774,200

品名・仕様	電動穿孔機部品	
	粉体管用ドリル	
	プラネットA用	イナズマ用
品番	PAE	PME
20	55,660	45,870
25	58,410	45,870

A型手動穿孔機			
品名・仕様	フルセット	VPドリルなし	AC・VPドリルセットなし
	AC・VPドリルセット		
			
品番	DAS	DAC	DAL
寸法	13～25	13～25	13～25
	163,040	123,240	66,700

M型手動穿孔機				
品名・仕様	フルセット	VPドリル・カッターなし	AC・VPドリルセット	AC・VPドリルセットなし
	AC・VPドリルセット			
				
品番	DMS	DMC	DMM	DML
寸法	13～50	13～50	30～50のみ	13～50
	440,840	303,900	328,480	143,930

手動穿孔機部品			
品名・仕様	ACドリル	VPドリル	樹脂管用カッター
	鋳鉄管・石綿管兼用	ビニル管	配水ポリエチレン管・ポリエチレン管
			
品番	DAD	DVD	PHVC
13		10,810	
20		18,540	25,950
25		26,950	27,800